

# OptiPrep™ Mini-Review MC06

## Dendritic cells from blood and tissues

This Mini-Review primarily provides a complete bibliography of publications that report the use of OptiPrep™ for the purification of dendritic cells (DC) from blood and tissues (Section 2). It also provides a brief review of the methodological options for the gradient separations (Section 1). All Application Sheets can be accessed on the [OptiPrep™ Applications flash-drive](#) or via the following website [www.axis-shield-density-gradient-media.com](http://www.axis-shield-density-gradient-media.com). Click on “Methodology” and then “Mammalian and non-mammalian cells” and follow the links from the Index.

### 1. Methodological review


#### 1a. Sedimentation on to a barrier

Prior to the introduction of Nycodenz®, gradients of either albumin or metrizamide were commonly used in DC purification. These media however tended to cause functional alteration of the cells [1]. Because cells are more tolerant of Nycodenz®, after 1994 this iodinated density gradient medium rapidly became established as the medium of choice for DC purification from peripheral blood and from lymphoid tissues. Density barriers of  $\rho = 1.076$  g/ml to 1.088 g/ml [2-7], the majority being approx 1.077 g/ml, have been used in the “traditional” format in which the crude cell fraction is layered on top. DCs band at the interface and further enrichment is often carried out by negative selection with antibody-bound beads. McLellan et al [8,9] introduced a lower density of 1.068 g/ml for DC isolation from human peripheral blood mononuclear cells, depleted in T-lymphocytes by rosetting with neuraminidase-treated sheep erythrocytes. Use of this medium has also been extended to tissues [10,11]. McLellan et al [8] noted that the 1.068 g/ml barrier was also effective for removing denser T-lymphocytes. This strategy of layering the cell suspension on top of a barrier has been extended to the use of OptiPrep™ for isolation of DCs from various tissues (12-17). The barrier sedimentation method is described in the [Axis-Shield Application Sheet C47](#).

#### 1b. Flotation methods

Generally speaking isolation of the least dense particle from a mixture of predominantly denser particles (and this is essentially what is happening in the isolation of DCs), is better accomplished by flotation rather than sedimentation. If the cells are suspended in a solution whose density is slightly higher than DCs, the latter will float to the top while the denser cells will either remain suspended in, or sediment slowly to the bottom, of the suspending medium. An important facet of this strategy is that avoids the rapid accumulation of cells, and consequent aggregation, that occurs during sedimentation on to a density barrier. This strategy was first introduced by Shortman’s group in 1996 [18-21], in which the cells from spleen, thymus, lymph nodes etc were suspended in a solution of Nycodenz® ( $\rho = 1.077$  g/ml). This approach was adapted by Anjuere et al [22] to OptiPrep™ in 1999 and there has been tendency towards the use of lower densities for the suspending solution (e.g. 1.061 g/ml) to improve the purity of the DC harvest. This method (see Fig. 1) is described in the [Axis-Shield Application Sheet C21](#).

A modification to this flotation format is to suspend the cells in a medium of higher density, which is placed below the separating solution of  $\rho = 1.065$  g/ml [23]. This is a commonly used format for the selective isolation of a low density cell type; its advantage is that the band of cells is divorced from the crude fraction layer, which is likely to contain residual tissue dispersing enzymes and components from partially disrupted cells. This method (see Fig. 2) is described in the [Axis-Shield Application Sheet C20](#).



**Fig. 1 (top)** C21 method

**Fig. 2 (bottom)** C20 method

See text for details

### 1c. References (to Section 1)

1. McLellan, A. D., Starling, G. C. and Hart, D. N. J. (1995) *Isolation of human blood dendritic cells by discontinuous Nycodenz gradient centrifugation* J. Immunol. Meth., **184**, 81-89
2. Durant, S., Alves, V., Coulaud, J. and Homo-Delarche, F. (2002) *Nonobese diabetic (NOD) mouse dendritic cells stimulate insulin secretion by prediabetic islets* Autoimmunity, **35**, 449-455
3. Jang, M.H., Sougawa, N., Tanaka, T., Hirata, T., Hiroi, T., Tohya, K., Guo, Z., Umemoto, E., Ebisuno, Y., Yang, B-G., Seoh, J-Y., Lipp, M., Kiyono, H. and Miyasaka, M. (2006) *CCR7 is critically important for migration of dendritic cells in intestinal lamina propria to mesenteric lymph nodes* J. Immunol., **176**, 803-810
4. De Creus, A., Lau, A.H., Hackstein, H., Raimondi, G. and Thomson, A.W. (2005) *Low TLR4 expression by liver dendritic cells correlates with reduced capacity to activate allogeneic T cells in response to endotoxin* J. Immunol., **174**, 2037-2045
5. Leenen, P.J.M., Radosevic, K., Voerman, J.S.A., Salomon, B., van Rooijen, N., Klatzmann, D. and van Ewijk, W. (1998) *Heterogeneity of mouse spleen dendritic cells: in vivo phagocytic activity, expression of macrophage markers, and subpopulation turnover* J. Immunol., **160**, 2166-2173
6. Den Haan, J.M.M., Lehar, S.M. and Bevan, M.J. (2000) *CD8<sup>+</sup> but not CD8<sup>-</sup> cells cross-prime cytotoxic T cells in vivo* J. Exp. Med., **192**, 1685-1695
7. Trinite, B., Chauvin, C., Pêche, H., Voisine, C., Heslan, M. and Josien, R. (2005) *Immature CD4<sup>+</sup>CD103<sup>+</sup> rat dendritic cells induce rapid caspase-independent apoptosis-like cell death in various tumor and nontumor cells and phagocytose their victims* J. Immunol., **175**, 2408-2417
8. McLellan, A.D., Starling, G.C. and Hart, D.N.J. (1995) *Isolation of human blood dendritic cells by discontinuous Nycodenz gradient centrifugation* J. Immunol. Meth., **184**, 81-89
9. McLellan, A.M., Heiser, A., Sorg, R.V., Fearnley, D.B. and Hart, D.N. (1998) *Dermal dendritic cells associated with T lymphocytes in normal human skin display an activated phenotype* J. Invest. Dermatol., **111**, 841-849
10. Moghaddami, M., Swart, B., Reynolds, P., Diener, K. and Brown, M.P. (2002) *Flt3 ligand expands dendritic cell numbers in normal and malignant murine prostate* Immunol. Cell Biol., **80**, 370-381
11. Chen, L., Arora, M., Yarlagadda, M., Oriss, T.B., Krishnamoorthy, N., Ray, A. and Ray, P. (2006) *Distinct responses of lung and spleen dendritic cells to the TLR9 agonist CpG oligodeoxynucleotide* J. Immunol., **177**, 2373-2383
12. Bonneau, M., Epardaud, M., Payot, F., Niborski, V., Thoulouze, M-I., Bernex, F., Charley, B., Riffault, S., Guilloteau, L.A. and Schwartz-Cornil, I. (2006) *Migratory monocytes and granulocytes are major lymphatic carriers of Salmonella from tissue to draining lymph node* J. Leukoc. Biol., **79**, 268-276
13. Lee, J-E., Kang, C-S., Guan, X-Y., Kim, B-T., Kim, S-H., Lee, Y-M., Moon, W-S. and Kim, D-K. (2007) *Discoidin domain receptor 2 is involved in the activation of bone marrow-derived dendritic cells caused by type I collagen* Biochem. Biophys. Res. Comm., **352**, 244-250
14. Eaton, K.A., Benson, L.H., Haeger, J. and Gray, B.M. (2006) *Role of transcription factor T-bet expression by CD4<sup>+</sup> cells in gastritis due to Helicobacter pylori in mice* Infect. Immun., **74**, 4673-4684
15. Cervantes-Barragan, L., Züst, R., Weber, F., Spiegel, M., Lang, K.S., Akira, S., Thiel, V. and Ludewig, B. (2007) *Control of coronavirus infection through plasmacytoid dendritic cell-derived type I interferon* Blood, **109**, 1131-1137
16. Luckashenak, N.A., Ryszkiewicz, R.L., Ramsey, K.D. and Clements, J.L. (2006) *The Src homology 2 domain-containing leukocyte protein of 76-kDa adaptor links integrin ligation with p44/42 MAPK phosphorylation and podosome distribution in murine dendritic cells* J. Immunol., **177**, 5177-5185
17. Hansen, S., Lo, B., Evans, K., Neophytou, P., Holmskov, U. and Wright, J.R. (2007) *Surfactant protein D augments bacterial association but attenuates major histocompatibility complex class II presentation of bacterial antigens* Am. J. Respir. Cell. Mol. Biol., **36**, 94-102
18. Kronin, V., Winkel, K., Suss, G. Kelso, A., Heath, W., Kirberg, J., von Boehmer, H. and Shortman, K. (1996) *A subclass of dendritic cells regulates the response of naïve CD8 T cells by limiting their IL-2 production* J. Immunol., **157**, 3819-3627
19. Vremec, D. and Shortman, K. (1997) *Dendritic cell subtype in mouse lymphoid organs: cross-correlation of surface markers, changes with incubation, and differences among thymus, spleen, and lymph nodes* J. Immunol., **159**, 565-573
20. Vremec, D., Pooley, J., Hochrein, H., Wu, L. and Shortman, K. (2000) *CD4 and CD8 expression by dendritic cell subtypes in mouse thymus and spleen* J. Immunol., **164**, 2978-2986
21. Kamath, A.T. Pooley, J., O'Keefe, M.A. Vremec, D., Zhan, Y. Lew, A.M., D'Amico, A., Wu, L., Tough, D.F. and Shortman, K. (2000) *The development, maturation, and turnover rate of mouse spleen dendritic cell populations* J. Immunol., **165**, 6762-6770
22. Anjuere, F., Martin, P., Ferrero, I., Fraga, M. L., del Hoyo, G. M., Wright, N. and Ardavin, C. (1999) *Definition of dendritic cell subpopulations present in the spleen, Peyer's patches, lymph nodes, and skin of the mouse* Blood, **93**, 590-598
23. Ruedl, C., Rieser, C., Bock, G., Wick, G. and Wolf, H. (1996) *Phenotypic and functional characterization of CD11c<sup>+</sup> dendritic cell population in mouse Peyer's patches* Eur. J. Immunol., **26**, 1801-1806

## 2. OptiPrep™ bibliography

References are divided into sections (**Sections 2.1-2.20**) according to **tissue source** and, where the number of references demands, sorted further into **research topic** sub-sections. Within each section references are listed alphabetically according to first author. This bibliography was last updated in November 2016.

### 2.1 Blood

#### 2.1.1 Monocyte-derived

**Akiyama, Y.**, Tanosaki, R., Inoue, N., Shimada, M., Hotate, Y., Yamamoto, A., Yamazaki, N., Kawashima, I., Nukaya, I., Takeseko, K., Maruyama, K., Takaue, Y. and Yamaguchi, K. (2005) *Clinical response in Japanese metastatic melanoma patients treated with peptide cocktail-pulsed dendritic cells* J. Transplant. Med., **3**, 1-10

**Alvarez, Y.**, Muncio, C., Alonso, S., San Román, J.A., Sánchez Crespo, M. and Fernández, N. (2009) *Cyclooxygenase-2 induced by zymosan in human monocyte-derived dendritic cells shows high stability, and its expression is enhanced by atorvastatin* J. Pharmacol. Exp. Ther., **329**, 987-994

**Oo, Y.H.**, Weston, C.J., Lalor, P.F., Curbishley, S.M., Withers, D.R., Reynolds, G.M., Shetty, S., Harki, J., Shaw, J.C., Eksteen, B., Hubscher, S.G., Walker, L.S.K. and Adams, D.H. (2010) *Distinct roles for CCR4 and CXCR3 in the recruitment and positioning of regulatory T cells in the inflamed human liver* J. Immunol., **184**, 2886–2898

**Pecher, G.**, Schirrmann, T., Kaiser, L. and Schenk, J.A. (2001) *Efficient cryopreservation of dendritic cells transfected with cDNA of a tumour antigen for clinical application* Biotechnol. Appl. Biochem., **34**, 161-166

**Pinchuk, L.M.**, Boyd, B.L., Kruger, E.F., Roditi, I. and Furger, A. (2003) *Bovine dendritic cells generated from monocytes and bone marrow progenitors regulate immunoglobulin production in peripheral blood B cells* Comp. Immun. Microbiol. Infect. Dis., **26** 233-249

**Suehiro, Y.**, Hasegawa, A., Iino, T., Sasada, A., Watanabe, N., Matsuoka, M., Takamori, A., Tanosaki, R., Utsunomiya, A. et al (2015) *Clinical outcomes of a novel therapeutic vaccine with Tax peptide-pulsed dendritic cells for adult T cell leukaemia/lymphoma in a pilot study* Br. J. Haematol., **169**, 356–367

**Valera, I.**, Fernández, N., García Trinidad, A., Alonso, S., Brown, G.D., Alonso, A. and Sánchez Crespo, M. (2008) *Costimulation of dectin-1 and DC-SIGN triggers the arachidonic acid cascade in human monocyte-derived dendritic cells* J. Immunol., **180**, 5727-5736

#### 2.1.2 PBMC-derived

**Deloizy, C.**, Bouguyon, E., Fossum, E., Sebo, P., Osicka, R., Bole, A., Pierres, M. Biacchesi, S. et al (2016) *Expanding the tools for identifying mononuclear phagocyte subsets in swine: Reagents to porcine CD11c and XCR1* Dev. Comp. Immunol., **65**, 31-40

**Fiebach, A.R.**, Guzylack-Piriou, L., Python, S., Summerfield, A. and Ruggli, N. (2011) *Classical swine fever virus Npro limits type I interferon induction in plasmacytoid dendritic cells by interacting with interferon regulatory factor 7* J. Virol., **85**, 8002-8011

**Nagato, K.**, Motohashi, S., Ishibashi, F., Okita, K., Yamasaki, K., Moriya, Y., Hoshino, H., Yoshida, S., Hanaoka, H., Fujii, S-i., Taniguchi, M., Yoshino, I. and Nakayama, T. (2012) *Accumulation of activated invariant natural killer T cells in the tumor microenvironment after  $\alpha$ -galactosylceramide-pulsed antigen presenting cells* J. Clin. Immunol., **32**, 1071–1081

**Reid, E.**, Juleff, N., Gubbins, S., Prentice, H., Seago, J. and Charleston, B. (2011) *Bovine plasmacytoid dendritic cells are the major source of type I interferon in response to foot-and-mouth disease virus in vitro and in vivo* J. Virol., **85**, 4297–4308

**Ruscanu, S.**, Jouneau, L., Urien, C., Bourge, M., Lecardonnell, J., Moroldo, M., Loup, B., Dalod, M., Elhmouzi-Younes, J., Bevilacqua, C., Hope, J., Vitour, D., Zientara, S., Meyer, G. and Schwartz-Cornila, I. (2013) *Dendritic cell subtypes from lymph nodes and blood show contrasted gene expression programs upon bluetongue virus infection* J. Virol., **87**, 9333–9343

**Strowig, T.**, Brilot, F., Arrey, F., Bougras, G., Thomas, D., Muller, W.A. and Münz, C. (2008) *Tonsillar NK cells restrict B cell transformation by the Epstein-Barr virus via IFN- $\gamma$*  PLoS Pathog., **4**:e27

### 2.2 Bone marrow

#### 2.2.1 Apoptosis

**Yamazaki, T.**, Akiba, H., Iwai, H., Matsuda, H., Aoki, M., Tanno, Y., Shin, T., Tsichiya, H., Pardoll, D.M., Okumura, K., Azuma, M. and Yagita, H. (2002) *Expression of programmed death 1 ligands by murine T cells and APC* J. Immunol., **169**, 5538-5545

## 2.2.2 Derivation, development and maturation

**Figueiredo, R.T.**, Fernandez, P.L., Mourao-Sa, D.S., Porto, B.N., Dutra, F.F., Alves, L.S., Oliviera, M.F., Oliviera, P.L., Graca-Souza, A.V. and Bozza, M.T. (2007) *Characterization of heme as activator of toll-like receptor 4* J. Biol. Chem., **282**, 20221-20229

**Lee, J-E.**, Kang, C-S., Guan, X-Y., Kim, B-T., Kim, S-H., Lee, Y-M., Moon, W-S. and Kim, D-K. (2007) *Discoidin domain receptor 2 is involved in the activation of bone marrow-derived dendritic cells caused by type I collagen* Biochem. Biophys. Res. Commun., **352**, 244-250

**Li, J-C.**, Park, J-H., Foss, D. and Goldschneider, I. (2009) *Thymus-homing peripheral dendritic cells constitute two of the three major subsets of dendritic cells in the steady-state thymus* J. Exp. Med., **206**, 607-622

## 2.2.3 Immune responses

### 2.2.3.1 Functional control

**Williams, M.A.**, Bauer, S., Lu, W., Guo, J., Walter, S., Bushnell, T.P., Lillehoj, E.P. and Georas, S.N. (2010) *Deletion of the mucin-like molecule Muc1 enhances dendritic cell activation in response to toll-like receptor ligands* J. Innate Immun., **2**, 123-143

### 2.2.3.2 Infection (*Helicobacter*)

**Eaton, K.A.**, Benson, L.H., Haeger, J. and Gray, B.M. (2006) *Role of transcription factor T-bet expression by CD4+ cells in gastritis due to Helicobacter pylori in mice* Infect. Immun., **74**, 4673-4684

**Kao, J.Y.**, Pierzchala, A., Rathinavelu, S., Zavros, Y., Tessier, A. and Merchant, J.L. (2006) *Somatostatin inhibits dendritic cell responsiveness to Helicobacter pylori* Regul. Pept., **134**, 23-29

**Kao, J.Y.**, Rathinavelu, S., Eaton, K.A., Bai, L., Zavross, Y., Takami, M., Pierzchala, A. and Merchant, J.L. (2006) *Helicobacter pylori-secreted factors inhibit dendritic cell IL-12 secretion: a mechanism of ineffective host defense* Am. J. Physiol. Gastrointest. Liver Physiol., **291**, G73-G81

**Luther, J.**, Owyang, S.Y., Takeuchi, T., Cole, T.S., Zhang, M., Liu, M., Erb-Downward, J., Rubenstein, J.H., Chen, C-C., Pierzchala, A.V., Paul, J.A. and Kao, J.Y. (2011) *Helicobacter pylori DNA decreases pro-inflammatory cytokine production by dendritic cells and attenuates dextran sodium sulphate-induced colitis* Gut **60**, 1479-1486

**Rathinavelu, S.**, Kao, J.Y., Zavros, Y. and Merchant, J.L. (2005) *Helicobacter pylori outer membrane protein 18 (Hpl125) induces dendritic cell maturation and function* Helicobacter, **10**, 424-432

**Sun, X.**, Zhang, M., El-Zataari, M., Owyang, S.Y., Eaton, K.A., Liu, M., Chang, Y-M., Zou, W. and Kao, J.Y. (2013) *TLR2 mediates Helicobacter pylori-induced tolerogenic immune response in mice* PLoS One, **9**: e74595

**Takabayashi, H.**, Shinohara, M., Mao, M., Phasawasdi, P., El-Zaatari, M., Zhang, M., Ji, T., Eaton, K.A., Dang, D., Kao, J. and Todisco, A. (2014) *Anti-inflammatory activity of bone morphogenetic protein signaling pathways in stomachs of mice* Gastroenterology, **147**, 396-406

**Tanaka, H.**, Yoshida, M., Nishiumi, S., Ohnishi, N., Kobayashi, K., Yamamoto, K., Fujita, T., Hatakeyama, M. and Azuma, T. (2010) *The CagA protein of Helicobacter pylori suppresses the functions of dendritic cell in mice* Arch. Biochem., Biophys., **498**, 35-42

**Zhang, M.**, Berndt, B.E., Eaton, K.A., Rathinavelu, S., Pierzchala, A. and Kao, J.Y. (2008) *Helicobacter pylori-pulsed dendritic cells induce H. pylori-specific immunity in mice* Helicobacter, **13**, 200-208

### 2.2.3.3 Infections (other than *Helicobacter*)

**Awasthi, S.** and Cropper, J. (2006) *Immunophenotype and functions of fetal baboon bone-marrow derived dendritic cells* Cell. Immunol., **240**, 31-40

**Benjamin, C.F.**, Lundy, S.K., Lukacs, N.W., Hogaboam, C.M. and Kunkel, S.L. (2005) *Reversal of long-term sepsis-induced immunosuppression by dendritic cells* Blood, **105**, 3588-3595

**Bittencourt, V.C.B.**, Figueiredo, R.T., da Silva, R.B., Mourão-Sá, D.S., Fernandez, P.L., Sasaki, G.L., Mulloy, B., Bozza, M.T. and Barreto-Bergter, E. (2006) *An  $\alpha$ -glucan of Pseudallescheria boydii is involved in fungal phagocytosis and toll-like receptor activation* J. Biol. Chem., **281**, 22614-22623

**Martin, P.**, Martinez del Hoyo, G., Anjuère, F., Fernandez Arias, C., Hernandez Vargas, H., Fernandez-L, A., Parrillas, V. and Ardavin, C. (2002) *Characterization of a new subpopulation of mouse CD8<sup>+</sup> B220<sup>+</sup> dendritic cells endowed with type I interferon production capacity and tolerogenic potential* Blood, **100**, 383-390

**Schindler, D.**, Gutierrez, M.G., Beineke, A., Rauter, Y., Rohde, M., Foster, S., Goldmann, O. and Medina, E. (2012) *Dendritic cells are central coordinators of the host immune response to Staphylococcus aureus bloodstream infection* Am. J. Pathol., **181**, 1327-1337

**Shetron-Rama, L.M.**, Herring-Palmer, A.C., Huffnagle, G.B. and Hanna, P. (2010) *Transport of Bacillus anthracis from the lungs to the draining lymph nodes is a rapid process facilitated by CD11c<sup>+</sup> cells* Microb. Pathog., **49**, 38-46

Vilekar, P., Awasthi, V., Lagisetty, P., King, C., Shankar, N., Awasthi, S. (2010) *In vivo trafficking and immunostimulatory potential of an intranasally-administered primary dendritic cell-based vaccine* BMC Immunol., **11**, 60

#### 2.2.3.4 Inflammatory response

Berndt, B.E., Zhang, M., Chen, G-H., Huffnagle, G.B. and Kao, J.Y. (2007) *The role of dendritic cells in the development of acute dextran sulfate sodium colitis* J. Immunol., **179**, 6255-6262

Takabayashi, H., Shinohara, M., Mao, M., Phaosawasdi, P., El-Zaatari, M., Zhang, M., Ji, T., Eaton, K.A., Dang, D., Kao, J. and Todisco, A. (2014) *Anti-inflammatory activity of bone morphogenetic protein signaling pathways in stomachs of mice* Gastroenterology, **147**, 396-406

Vilekar, P., Awasthi, S., Natarajan, A., Anant, S. and Awasthi, V. (2012) *EF24 suppresses maturation and inflammatory response in dendritic cells* Int. Immunol., **24**, 455-464

#### 2.2.3.5 Tumour interactions

Ghansah, T., Vohra, N., Kinney, K., Weber, A., Kodumudi, K., Springett, G., Sarnaik, A.A. and Pilon-Thomas, S. (2013) *Dendritic cell immunotherapy combined with gemcitabine chemotherapy enhances survival in a murine model of pancreatic carcinoma* Cancer Immunol. Immunother., **62**, 1083-1091

Komine, H., Kuhn, L., Matsushita, N., Mulé, J.J. and Pilon-Thomas, S. (2013) *Examination of MARCO activity on dendritic cell phenotype and function using a gene knockout mouse* PLoS One, **8**: e67795

Matsushita, N., Pilon-Thomas, S.A., Martin, L.M. and Riker, A.I. (2008) *Comparative methodologies of regulatory T cell depletion in a murine melanoma model* J. Immunol. Methods, **333**, 167-179

Perez-Shibayama, C., Gil-Cruz, C., Nussbacher, M., Allgäuer, E., Cervantes-Barragan, L., Züst, R. and Ludwig, R. (2013) *Dendritic cell-specific delivery of Flt3L by coronavirus vectors secures induction of therapeutic antitumor immunity* PLoS One, **8**: e81442

Pilon-Thomas, S., Mackay, A., Vohra, N. and Mulé, J.J. (2010) *Blockade of programmed death ligand 1 enhances the therapeutic efficacy of combination immunotherapy against melanoma* J. Immunol., **184**, 3442-3449

#### 2.2.3.6 Viruses

Acosta-Ramirez, E., Pérez-Flores, R., Majeau, N., Pastelin-Palacios, R., Gil-Cruz, C., Ramírez-Saldaña, M., Manjarrez-Orduño, N., Cervantes-Barragán, L., Santos-Argumendo, L., Flores-Romo, L., Becker, I., Isibasi, A., Leclerc, D. and López-Macias, C. (2008) *Translating innate response into long-lasting antibody response by the intrinsic antigen-adjuvant properties of papaya mosaic virus* Immunology, **124**, 186-197

Cervantes-Barragán, L., Kalinke, U., Züst, R., König, M., Reizis, B., López-Macias, C., Thiel, V. and Ludwig, B. (2009) *Type I IFN-mediated protection of macrophages and dendritic cells secures control of murine coronavirus infection* J. Immunol., **182**, 1099-1106

#### 2.2.4 Interleukin production

Berndt, B.E., Zhang, M., Owyang, S.Y., Cole, T.S., Wang, T.W., Luther, J., Veniaminova, N.A., Merchant, J.L., Chen, C., Huffnagle, G.B. and Kao, J.Y. (2012) *Butyrate increases IL-23 production by stimulated dendritic cells* Am. J. Physiol. Gastrointest. Liver Physiol., **303**, G1384-G1392

#### 2.2.5 Lipopolysaccharide stimulation

Berndt, B.E., Zhang, M., Owyang, S.Y., Cole, T.S., Wang, T.W., Luther, J., Veniaminova, N.A., Merchant, J.L., Chen, C., Huffnagle, G.B. and Kao, J.Y. (2012) *Butyrate increases IL-23 production by stimulated dendritic cells* Am. J. Physiol. Gastrointest. Liver Physiol., **303**, G1384-G1392

#### 2.2.6 MHC class II expression

Goth, S.R., Chu, R.A. and Pessah, I.N. (2006) *Oxygen tension regulates the in vitro maturation of GM-CSF expanded murine bone marrow dendritic cells by modulating class II MHC expression* J. Immunol. Methods, **308**, 179-191

LeibundGut-Landemann, S., Waldburger, J-M., Reis e Sousa, C. Acha-Orbea, H. and Reith, W. (2004) *MHC class II expression is differentially regulated in plasmacytoid and conventional dendritic cells* Nat. Immunol., **5**, 899-908

#### 2.2.7 T-cell function

Kodumudi, K.N., Weber, A., Sarnaik, A.A. and Pilon-Thomas, S. (2012) *Blockade of myeloid-derived suppressor cells after induction of lymphopenia improves adoptive T cell therapy in a murine model of melanoma* J. Immunol., **189**, 5147-5154

Wang, S.H., Chen, G-H., Fan, Y., Van Antwerp, M. and Baker, J.R. (2009) *Tumor necrosis factor-related apoptosis-inducing ligand inhibits experimental autoimmune thyroiditis by the expansion of CD4<sup>+</sup>CD25<sup>+</sup> regulatory T cells* Endocrinology, **150**, 2000–2007

### 2.2.8 Vaccine production in cancer

Gatza, E. and Okada, C.Y. (2006) *Adjuvant IL-15 does not enhance the efficacy of tumor cell lysate-pulsed dendritic cell vaccines for active immunotherapy of T cell lymphoma* Cancer Immunol. Immunother., **55**, 420-432

Hosoi, A., Takeda, Y., Sakuta, K., Ueha, S., Kurachi, M., Kimura, K., Maekawa, R. and Kakimi, K. (2008) *Dendritic cell vaccine with mRNA targeted to the proteasome by polyubiquitination* Biochem. Biophys. Res. Commun., **371**, 242-246

Kao, J.Y., Zhang, M., Chen, C-M. and Chen, J-J. (2005) *Superior efficacy of dendritic cell-tumor fusion vaccine compared with tumor lysate-pulsed dendritic cell vaccine in colon cancer* Immunol. Lett., **101**, 154-159

Kao, J.Y., Zhang, M., Chen, C-M., Pierzchala, A. and Chen, J-J. (2006) *Aberrant T helper cell response in tumor-bearing mice limits the efficacy of dendritic cell vaccine* Immunol. Lett., **105**, 16-25

Koike, N., Pilon-Thomas, S. and Mule, J.J. (2008) *Nonmyeloablative chemotherapy followed by T-cell adoptive transfer and dendritic cell-based vaccination results in rejection of established melanoma* J. Immunother., **31**, 402-412

Zhang, M., Berndt, B.E., Chen, J-J. and Kao, J.Y. (2008) *Expression of a soluble TGF- $\beta$  receptor by tumor cells enhances dendritic cell/tumor fusion vaccine efficacy* J. Immunol., **181**, 3690-3697

### 2.3 Brain meninges

Flach, A.C., Litke, T., Strauss, J., Haberl, M., Gómez, C.C., Reindl, M., Saiz, A., Fehling, H-J., Wienands, J. et al (2016) *Autoantibody-boosted T-cell reactivation in the target organ triggers manifestation of autoimmune CNS disease* Proc. Natl. Acad. Sci. USA, **113**, 3323-3328

### 2.4 Inflammatory cells

Čolić, M., Gazivoda, D., Vučević, D., Vasilijić, S., Rudolf, R. and Lukić, A. (2009) *Proinflammatory and immunoregulatory mechanisms in periapical lesions* Mol. Immunol., **47**, 101–113

Vasilijić, S., Savić, Vasilev, S., Vučević, D., Gašić, S., Majstorović, I., Janković, S. and Čolić, M. (2005) *Dendritic cells acquire tolerogenic properties at the site of sterile granulomatous inflammation* Cell. Immunol., **233**, 148-157

### 2.5 Intestinal tract

Arques, J.L., Hautefort, I., Ivory, K., Bertelli, E., Regoli, M., Clare, S., Hinton, J.C.D. and Nicoletti, C. (2009) *Salmonella induces flagellin- and MyD88-dependent migration of bacteria-capturing dendritic cells into the gut lumen* Gastroenterology **137**, 579-587

Chang, S-Y., Song, J-H., Guleng, B., Cotoner, C.A., Arihiro, S., Zhao, Y., Chiang, H-S., O’Keeffe, M., Liao, G., Karp, C.L., Kweon, M-N., Sharpe, A.H., Bhan, A., Terhorst, C. and Reinecker, H-C. (2013) *Circulatory antigen processing by mucosal dendritic cells controls CD8<sup>+</sup> T cell activation* Immunity **38**, 153–165

Eksteen, B., Mora, J.R., Haughton, E.L., Henderson, N.C., Lee–Turner, L., Villablanca E.J., Curbishley, S.M., Aspinall, A.I., Von Andrian, U.H. and Adams, D.H. (2009) *Gut homing receptors on CD8 T cells are retinoic acid dependent and not maintained by liver dendritic or stellate cells* Gastroenterology, **137**, 320–329

Lee, M-R., Seo, G-Y., Kim, Y-M., Kim, P-H. (2011) *iNOS potentiates mouse Ig isotype switching through AID expression* Biochem. Biophys. Res. Comm., **410**, 602–607

Padassi, H., Acharya, M., Zhang, A., Mukhopadhyay, S., Kwon, M., Chow, C., Stuart, L.M., Savill, J. and Lacy–Hulbert, A. (2011) *Preferential expression of integrin  $\alpha\beta 8$  promotes generation of regulatory T cells by mouse CD103<sup>+</sup> dendritic cells* Gastroenterology, **141**, 1813–1820

Sidhu, M., Cotoner, C.A., Guleng, B., Arihiro, S., Chang, S., Duncan, K.W., Ajami, A.M., Chau, M. and Reinecker, H-C. (2011) *Small molecule tyrosine kinase inhibitors for the treatment of intestinal inflammation* Inflamm. Bowel Dis., **17**, 2416–2426

Sundberg, T.B., Choi, H.G., Song, J-H., Russell, C.N., Hussain, M.M., Graham, D.B., Khor, B., Gagnon, J., O’Connell, D.J., Narayan, K., Dancík, V., Perez, J.R., Reinecker, H-C., Gray, N.S., Schreiber, S.L., Xavier, R.J. and Shamji, A.F. (2014) *Small-molecule screening identifies inhibition of salt-inducible kinases as a therapeutic strategy to enhance immunoregulatory functions of dendritic cells* Proc. Natl. Acad. Sci. USA, **111**, 12468–12473

## 2.6 Langerhans cells

- Anjuère, F., Martin, P., Ferrero, I., Lopez Fraga, M., Martinez del Hoyo, G., Wright, N. and Ardavin, C. (1999) *Definition of dendritic cell subpopulations present in the spleen, Peyer's patches, lymph nodes, and skin of the mouse* Blood, **93**, 590-598
- Anjuère, F., Martinez del Hoyo, G., Martin, P. and Ardavin, C. (2000) *Langerhans cells develop from a lymphoid-committed precursor* Blood, **96**, 1633-1637
- Contreras, V., Urien, C., Guiton, R., Alexandre, Y., Vu Manh, T-P., Andrieu, T., Crozat, K., Jouneau, L., Bertho, N., Epardaud, M., Hope, J., Savina, A., Amigorena, S., Bonneau, M., Dalod, M. and Schwartz-Cornil, I. (2010) *Existence of CD8 $\alpha$ -like dendritic cells with a conserved functional specialization and a common molecular signature in distant mammalian species* J. Immunol., **185**, 3313-3325
- Dimitroff, C.J., Kupper, T.S. and Sackstein, R. (2003) *Prevention of leukocyte migration to inflamed skin with a novel fluorosugar modifier of cutaneous lymphocyte-associated antigen* J. Clin. Invest., **112**, 1008-1018
- Goddard, S., Youster, J., Morgan, E. and Adams, D.H. (2004) *Interleukin-10 secretion differentiates dendritic cells from human liver and skin* Am. J. Pathol., **164**, 511-519
- Jux, B., Kadow, S. and Esser, C. (2009) *Langerhans cell maturation and contact hypersensitivity are impaired in aryl hydrocarbon receptor-null mice* J. Immunol., **182**, 6709-6717
- Kuipers, H., Schnorfeil, F.M., Fehling, H-J., Bartels, H. and Brocker, T. (2010) *Dicer-dependent microRNAs control maturation, function and maintenance of Langerhans cells in vivo* J. Immunol., **185**, 400-409
- Peña-Cruz, V., McDonough, S.M., Diaz-Griffero, F., Crum, C.P., Carrasco, R.D. and Freeman, G.J. (2010) *PD-1 on immature and PD-1 ligands on migratory human Langerhans cells regulate antigen-presenting cell activity* J. Invest. Dermatol., **130**, 2222-2230
- Polak, M.E., Newell, L., Taraban, V.Y., Pickard, C., Healy, E., Friedmann, P.S., Al-Shamkhani, A. and Ardern-Jones, M.R. (2012) *CD70-CD27 interaction augments CD8<sup>+</sup> T-cell activation by human epidermal Langerhans cells* J. Invest. Dermatol., **132**, 1636-1644
- Ruedl, C., Koebel, P. and Karjalainen, K. (2001) *In vivo-matured Langerhans cells continue to take up and process native proteins unlike in vitro-matured counterparts* J. Immunol., **166**, 7178-7182
- Stutte, S., Jux, B., Esser, C. and Förster, I. (2008) *CD24a expression levels discriminate Langerhans cells from dermal dendritic cells in murine skin and lymph nodes* J. Invest. Dermatol., **128**, 1470-1475

## 2.7 Liver

- Cavassani, K.A., Moreira, A.P., Habel, D., Ito, T., Coelho, A.L., Allen, R.M., Hu, B., Raphelson, J., Carson IV, W.F., Schaller, M.A., Lukacs, N.W., Omary, B., Hogaboam, C.M. and Kunkel, S.L. (2013) *Toll like receptor 3 plays a critical role in the progression and severity of acetaminophen-induced hepatotoxicity* PLoS One, **8**: e65899
- Connolly, M.K., Ayo, D., Malhotra, A., Hackman, M., Bedrosian, A.S., Ibrahim, J., Cieza-Rubio, N.E., Nguyen, A.H., Henning, J.R., Dorvil-Castro, M., Pachter, H.L. and Miller, G. (2011) *Dendritic cell depletion exacerbates acetaminophen hepatotoxicity* Hepatology, **54**, 959-968
- Cremer, I., Dieu-Nosjean, M-C., Maréchal, S., Dezutter-Dambuyant, C., Goddard, S., Adams, D., Winter, N., Menetrier-Caux, C., Sautès-Fridman, C., Fridman, W.H. and Mueller, C.G. (2002) *Long-lived immature dendritic cells mediated by TRANCE-RANK interaction* Blood, **100**, 3646-3655
- Eksteen, B., Mora, J.R., Houghton, E.L., Henderson, N.C., Lee-Turner, L., Villablanca E.J., Curbishley, S.M., Aspinall, A.I., Von Andrian, U.H. and Adams, D.H. (2009) *Gut homing receptors on CD8 T cells are retinoic acid dependent and not maintained by liver dendritic or stellate cells* Gastroenterology, **137**, 320-329
- Goddard, S., Youster, J., Morgan, E. and Adams, D.H. (2004) *Interleukin-10 secretion differentiates dendritic cells from human liver and skin* Am. J. Pathol., **164**, 511-519
- Hansen, S., Lo, B., Evans, K., Neophytou, P., Holmskov, U. and Wright, J.R. (2007) *Surfactant protein D augments bacterial association but attenuates major histocompatibility complex class II presentation of bacterial antigens* Am. J. Respir. Cell. Mol. Biol., **36**, 94-102
- Oo, Y.H., Weston, C.J., Lalor, P.F., Curbishley, S.M., Withers, D.R., Reynolds, G.M., Shetty, S., Harki, J., Shaw, J.C., Eksteen, B., Hubscher, S.G., Walker, L.S.K. and Adams, D.H. (2010) *Distinct roles for CCR4 and CXCR3 in the recruitment and positioning of regulatory T cells in the inflamed human liver* J. Immunol., **184**, 2886-2898
- Wiegand, C., Wolint, P., Frenzel, C., Cheruti, U., Schmitt, E., Oxenius, A., Lohse, A.W. and Herkel, J. (2007) *Defective T helper response of hepatocyte-stimulated CD4 T cells impairs antiviral CD8 response and viral clearance* Gastroenterology **133**, 2010-2018

## 2.8 Lung

- Awasthi, S., Wolf, R. and White, G. (2009) *Ontogeny and phagocytic function of baboon lung dendritic cells* Immunol. Cell Biol., **87**, 419-427

- Awasthi, S.**, Madhusoodhanan, R. and Wolf, R. (2011) *Surfactant protein-A and toll-like receptor-4 modulate immune functions of preterm baboon lung dendritic cell precursor cells* Cell. Immunol., **268**, 87–96
- Hansen, S.**, Lo, B., Evans, K., Neophytou, P., Holmskov, U. and Wright, J.R. (2007) *Surfactant protein D augments bacterial association but attenuates major histocompatibility complex class II presentation of bacterial antigens* Am. J. Respir. Cell. Mol. Biol., **36**, 94-102
- Hayashi, T.**, Beck, L., Rossetto, C., Gong, X., Takikawa, O., Takabayashi, K., Broide, D.H. and Raz, E. (2004) *Inhibition of experimental asthma by indoleamine 2,3-dioxygenase* J. Clin. Invest., **114**, 270-279
- Ho, A.W.S.**, Prabhu, N., Betts, R.J., Ge, M.Q., Dai, X., Hutchinson, P.E., Lew, F.C., Wong, K.L., Hanson, B.J., Macary, P.A. and Kemeny, D.M. (2011) *Lung CD103<sup>+</sup> dendritic cells efficiently transport influenza virus to the lymph node and load viral antigen onto MHC class I for presentation to CD8 T cells* J. Immunol., **187**, 6011–6021
- Maisonasse, P.**, Bouguyon, E., Piton, G., Ezquerro, A., Urien, C., Deloizy, C., Bourge, M., Leplat, J-J., Simon, G. et al (2016) *The respiratory DC/macrophage network at steady-state and upon influenza infection in the swine biomedical model* Mucosal Immunol., **9**, 835-849
- Majlessi, L.**, Brodin, P., Brosch, R., Rojas, M-J., Khun, H., Huerre, M., Cole, S.T. and Leclerc, C. (2005) *Influence of ESAT-6 secretion system 1 (RD1) of Mycobacterium tuberculosis on the interaction between mycobacteria and the host immune system* J. Immunol., **174**, 3570-3579
- Okunishi, K.**, Dohi, M., Nakagome, K., Tanaka, R., Mizuno, S., Matsumoto, K., Miyazaki, J-i., Nakamura, T. and Yamamoto, K. (2005) *A novel role of hepatocyte growth factor as an immune regulator through suppressing dendritic cell function* J. Immunol., **175**, 4745-4753
- Simeone, R.**, Sayes, F., Song, O., Gröschel, M.I., Brodin, P., Brosch, R. and Majlessi, L. (2015) *Cytosolic access of mycobacterium tuberculosis: critical impact of phagosomal acidification control and demonstration of occurrence in vivo* PLoS Pathog., **10**: e1004650
- Tang, Y.**, Guan, S.P., Chua, B.Y.L., Zhou, Q., Ho, A.W.S., Wong, K.H.S., Wong, K.L., Wong, W.S.F. and Kemeny, D.M. (2012) *Antigen-specific effector CD8 T cells regulate allergic responses via IFN- $\gamma$  and dendritic cell function* J. Allergy Clin. Immunol., **129**, 1611-20
- Van de Laar, L.**, Williams, M. and Tavernier, S. (2016) *Isolation of conventional dendritic cells from mouse lungs* In Methods Mol. Biol., **1423**, Dendritic Cell Protocols (eds. Segura, E. and Onai, N.) Springer Science+Business Media LLC, pp 139-152
- Zhou, Q.**, Ho, A.W.S., Schlitzer, A., Tang, Y., Wong, K.H.S., Wong, F.H.S., Chua, Y.L., Angeli, V., Mortellaro, A., Ginhoux, F. and Kemeny, D.M. (2014) *GM-CSF-licensed CD11b<sup>+</sup> lung dendritic cells orchestrate Th2 immunity to Blomia tropicalis* J. Immunol., **193**, 496–509

## 2.9 Lymph

- Bertho, N.**, Marquet, F., Pascale, F., Kang, C., Bonneau, M. and Schwartz-Cornila, I. (2011) *Steady state pig dendritic cells migrating in skin draining pseudo-afferent lymph are semi-mature* Vet. Immunol., Immunopathol., **144**, 430– 436
- Bonneau, M.**, Eparaud, M., Payot, F., Niborski, V., Thoulouze, M-I., Bernex, F., Charley, B., Riffault, S., Guilloteau, L.A. and Schwartz-Cornil, I. (2006) *Migratory monocytes and granulocytes are major lymphatic carriers of Salmonella from tissue to draining lymph node* J. Leukoc. Biol., **79**, 268-276
- Chan, S.S.M.**, Mastroeni, P., McConnell, I. and Blacklaws, B.A. (2008) *Salmonella infection of afferent lymph dendritic cells* J. Leukoc. Biol., **88**, 272-279
- Contreras, V.**, Urien, C., Jouneau, L., Bourge, M., Bouet-Cararo, C., Bonneau, M., Zientara, S., Klonjowski, B. and Schwartz-Cornil I. (2012) *Canine recombinant adenovirus vector induces an immunogenicity-related gene expression profile in skin-migrated CD11b<sup>+</sup> -type DCs* PLoS One, **7**: e52513
- Hemati, B.**, Contreras, V., Urien, C., Bonneau, M., Takamatsu, H-H., Mertens, P.P.C., Bréard, E., Sailleau, C., Zientara, S. and Schwartz-Cornil, I. (2009) *Bluetongue virus targets conventional dendritic cells in skin lymph* J. Virol., **83**, 8789-8799
- Marquet, F.**, Bonneau, M., Pascale, F., Urien, C., Kang, C., Schwartz-Cornil, I. and Bertho, N. (2011) *Characterization of dendritic cells subpopulations in skin and afferent lymph in the swine model* PloS One, **6**: e16320
- Matthews, K.**, Bailey, S.L., Gossner, A.G., Watkins, C., Dalziel, R.G. and Hopkins, J. (2007) *Gene gun-delivered pGM-CSF adjuvant induces enhanced emigration of two dendritic cell subsets from the skin* Scand. J. Immunol., **65**, 221-229
- Muixi, L.**, Contreras, V., Collado, J.A., Alexandre, Y., Ballingall, K., Bonneau, M., Jaraquemada, D. and Schwartz-Cornil, I. (2012) *Unraveling features of the natural MHC class II peptidome of skin-migrated dendritic cells* Int. Immunol., **24**, 59–69
- Pascale, F.**, Contreras, V., Bonneau, M., Courbet, A., Chilmoneczyk, S., Bevilacqua, C., Eparaud, M., Niborski, V., Riffault, S., Balazuc, A-M., Foulon, E., Guzylack-Piriou, L., Riteau, B., Hope, J., Bertho, N., Charley, B.



and Schwartz-Cornil, I. (2008) *Plasmacytoid dendritic cells migrate in afferent skin lymph* J. Immunol., **180**, 5963-5972

Reid, E., Juleff, N., Gubbins, S., Prentice, H., Seago, J. and Charleston, B. (2011) *Bovine plasmacytoid dendritic cells are the major source of type I interferon in response to foot-and-mouth disease virus in vitro and in vivo* J. Virol., **85**, 4297-4308

Ruscanu, S., Pascale, F., Bourge, M., Hemati, B., Elhmouzi-Younes, J., Urien, C., Bonneau, M., Takamatsu, H., Hope, J., Mertens, P., Meyer, G., Stewart, M., Roy, P., Meurs, E.F., Dabo, S., Zientara, S., Breard, E., Sailleau, C., Chauveau, E., Vitour, D., Charley, B. and Schwartz-Cornil, I. (2012) *The double-stranded RNA bluetongue virus induces type I interferon in plasmacytoid dendritic cells via a MYD88-dependent TLR7/8-independent signaling pathway* J. Virol., **86**, 5817-5828

Schwartz-Cornil, I., Eparaud, M. and Bonneau, M. (2006) *Cervical duct cannulation in sheep for collection of afferent lymph dendritic cells from head tissues* Nat. Protoc., **1**, 874-879

Sigmundsdottir, H., Pan, J., Debes, G.F., Alt, C., Habtezion, A., Soler, D. and Butcher, E.C. (2007) *1,2DCs metabolize sunlight-induced vitamin D3 to 'program' T cell attraction to the epidermal chemokine CCL27* Nat. Immunol., **8**, 285-293

## 2.10 Lymph node

### 2.10.1 Derivation, development and maturation

Bailey, S., Schreiner, B., McMahon, E.J. and Miller, S. (2007) *CNS myeloid DCs presenting endogenous myelin peptides 'preferentially' polarize CD4<sup>+</sup> T<sub>H</sub>-17 cells in relapsing EAE* Nat. Immunol., **8**, 172-180

Li, J.-C., Park, J.-H., Foss, D. and Goldschneider, I. (2009) *Thymus-homing peripheral dendritic cells constitute two of the three major subsets of dendritic cells in the steady-state thymus* J. Exp. Med., **206**, 607-622

Pascual, D.W., Wang, X., Kochetkova, I., Callis, G. and Riccardi, C. (2008) *The absence of lymphoid CD8<sup>+</sup> dendritic cell maturation in L-selectin<sup>-/-</sup> respiratory compartment attenuates antiviral immunity* J. Immunol., **181**, 1345-1356

Ruedl, C., Koebel, P., Bachmann, M., Hess, M. and Karjalainen, K. (2000) *Anatomical origin of dendritic cells determines their life span in peripheral lymph nodes* J. Immunol., **165**, 4910-4916

Yang, G.-X., Lian, Z.-X., Kikuchi, K., Liu, Y.-J., Ansari, A.A., Ikhara, S. and Gershwin, M.E. (2005) *CD4<sup>+</sup> plasmacytoid dendritic cells (pDCs) migrate in lymph nodes by CpG inoculation and represent a potent functional subset of pDCs* J. Immunol., **174**, 3197-3203

### 2.10.2 Endotoxin

Wang, X., Wang, Q., Zhang, X., Li, Y., Wang, J., Hou, C., Chen, J., Shen, B., Shi, Y. and Zhang, J. (2015) *Endotoxic shock-expanded murine CD11c<sup>low</sup>CD45RB<sup>+</sup> regulatory dendritic cells modulate inflammatory T cell responses through multiple mechanisms* Sci. Rep., **5**: 10653

### 2.10.3 Immune responses

#### 2.10.3.1 Autoimmunity and autoimmune diseases

Poliani, P.L., Kisand, K., Marrella, V., Ravanini, M., Notarangelo, L.D., Villa, A., Peterson, P. and Facchetti, F. (2010) *Human peripheral lymphoid tissues contain autoimmune regulator-expressing dendritic cells* Am. J. Pathol., **176**, 1104-1112

#### 2.10.3.2 Dietary influences

DePaolo, R.W., Abadie, V., Tang, F., Fehlner-Peach, H., Hall, J.A., Wang, W., Marietta, E.V., Kasarda, D.D., Waldmann, T.A., Murray, J.A., Semrad, C., Kupfer, S.S., Belkaid, Y., Guandalini, S. and Jabri, B. (2011) *Co-adjuvant effects of retinoic acid and IL-15 induce inflammatory immunity to dietary antigens* Nature, **471**, 220-224

Devkota, S., Wang, Y., Musch, M.W., Leone, V., Fehlner-Peach, H., Nadimpalli, A., Antonopoulos, D.A., Jabri, B. and Chang, E.B. (2012) *Dietary-fat-induced taurocholic acid promotes pathobiont expansion and colitis in IL102/2 mice* Nature **487**, 104-108

#### 2.10.3.3 Functional control

Basu, S. and Srivastava, P. (2005) *Immunological role of neuronal receptor vanilloid receptor 1 expressed on dendritic cells* Proc. Natl. Acad. Sci. USA, **102**, 5120-5125

Hess, E., Duheron, V., Decossas, M., Lezot, F., Berdal, A., Chea, S., Golub, R., Bosisio, M.R., Bridal, S.L., Choi, Y., Yagita, H. and Mueller, C.G. (2012) *RANKL induces organized lymph node growth by stromal cell proliferation* J. Immunol., **188**, 1245-1254

**Le, T.T.T.**, Gardner, J., Hoang-Le, D., Schmidt, C.W., MacDonald, K.P., Lambley, E., Schroder, W.A., Ogbourne, S.M. and Suhrbier, A. (2009) *Immunostimulatory cancer chemotherapy using local ingenol-3-angelate and synergy with immunotherapies* Vaccine, **27**, 3053–3062

**Westwood, J.A.**, Haynes, N.M., Sharkey, J., McLaughlin, N., Pegram, H.J., Schwendener, R.A., Smyth, M.J., Darcy, P.K. and Kershaw, M.H. (2009) *Toll-like receptor triggering and T-cell co-stimulation induce potent antitumor immunity in mice* Clin. Cancer Res., **15**, 7624–33

#### 2.10.3.4 Immunotherapy

**Anjuère, F.**, George-Chandy, A., Audant, F., Rousseau, D., Homlgren, J. and Czerlinsky, C. (2003) *Transcutaneous immunization with cholera toxin B subunit adjuvant suppresses IgE antibody responses via selective induction of Th1 immune responses* J. Immunol., **170**, 1586-1592

**Anjuère, F.**, Luci, C., Lebens, M., Rousseau, D., Hervouet, C., Milon, G., Holmgren, J., Ardavin, C. and Czerlinsky, C. (2004) *In vivo adjuvant-induced mobilization and maturation of gut dendritic cells after oral administration of cholera toxin* J. Immunol., **173**, 5103-5111

**Langlet, C.**, Tamoutounour, S., Henri, S., Luche, H., Ardouin, L., Grégoire, C., Malissen, B. and Guillemins, M. (2012) *CD64 expression distinguishes monocyte-derived and conventional dendritic cells and reveals their distinct role during intramuscular immunization* J. Immunol., **188**, 1751–1760

**Malm, M.**, Krohn, K. and Blazevic, V. (2011) *Immunization with dendritic cells transfected in vivo with HIV-1 plasmid DNA induces HIV-1-specific immune responses* Arch. Virol., **156**, 1607–1610

**Tan, L.K.**, Huang, C-H., Kuo, I-C., Liew, L.M. and Chua, K.Y. (2006) *Intramuscular immunization with DNA construct containing Der p 2 and signal peptide sequences primed strong IgE production* Vaccine, **24**, 5762-5771

#### 2.10.3.5. Infection

**Bonneau, M.**, Epardaud, M., Payot, F., Niborski, V., Thoulouze, M-I., Bernex, F., Charley, B., Riffault, S., Guilloteau, L.A. and Schwartz-Cornil, I. (2006) *Migratory monocytes and granulocytes are major lymphatic carriers of Salmonella from tissue to draining lymph node* J. Leukoc. Biol., **79**, 268-276

**Chen, C-C.**, Chiu, C-H., Lin, Y-Y., Shi, H.N. and Walker, W.A. (2009) *Effect of probiotics Lactobacillus acidophilus on Citrobacter rodentium colitis: the role of dendritic cells* Pediatr. Res. **65**, 169–175

**Martin, P.**, Martinez del Hoyo, G., Anjuère, F., Fernandez Arias, C., Hernandez Vargas, H., Fernandez-L, A., Parrillas, V. and Ardavin, C. (2002) *Characterization of a new subpopulation of mouse CD8<sup>+</sup> B220<sup>+</sup> dendritic cells endowed with type I interferon production capacity and tolerogenic potential* Blood, **100**, 383-390

**Padassi, H.**, Acharya, M., Zhang, A., Mukhopadhyay, S., Kwon, M., Chow, C., Stuart, L.M., Savill, J. and Lacy-Hulbert, A. (2011) *Preferential expression of integrin  $\alpha\beta8$  promotes generation of regulatory T cells by mouse CD103<sup>+</sup> dendritic cells* Gastroenterology, **141**, 1813–1820

#### 2.10.3.6 Integrin expression

**Padassi, H.**, Acharya, M., Zhang, A., Mukhopadhyay, S., Kwon, M., Chow, C., Stuart, L.M., Savill, J. and Lacy-Hulbert, A. (2011) *Preferential expression of integrin  $\alpha\beta8$  promotes generation of regulatory T cells by mouse CD103<sup>+</sup> dendritic cells* Gastroenterology, **141**, 1813–1820

#### 2.10.3.7 Interferons

**Martin, P.**, Martinez del Hoyo, G., Anjuère, F., Fernandez Arias, C., Hernandez Vargas, H., Fernandez-L, A., Parrillas, V. and Ardavin, C. (2002) *Characterization of a new subpopulation of mouse CD8<sup>+</sup> B220<sup>+</sup> dendritic cells endowed with type I interferon production capacity and tolerogenic potential* Blood, **100**, 383-390

**Watt, S.V.**, Andrews, D.M., Takeda, K., Smyth, M.J. and Hayakawa, Y. (2008) *IFN- $\gamma$ -dependent recruitment of mature CD27<sup>high</sup> NK cells to lymph nodes primed by dendritic cells* J. Immunol., **181**, 5323-5330

#### 2.10.3.8 Irradiation effects

**Gorman, S.**, Tan, J.W-Y., Thomas, J.A., Townley, S.L., Stumbles, P.A., Finlay-Jones, J.J. and Hart, P.H. (2005) *Primary defect in UVB-induced systemic immunomodulation does not relate to immature or functionally impaired APCs in regional lymph nodes* J. Immunol., **174**, 6677-6685

**McLoone, P.**, Woods, G.M. and Norval, M. (2005) *Decrease in Langerhans cells and increase in lymph node dendritic cells following chronic exposure of mice to suberythemal doses of solar simulated radiation* Photochem. Photobiol., **81**, 1168-1173

#### 2.10.3.9 Migration

**Lo, T-H.**, Silveira, P.A., Fromm, P.D., Verma, N.D., Vu, P.A., Kupresanin, F., Adam, R., Kato, M., Cogger, V.C., Clark, G.J., and Hart, D.N.J. (2016) *Characterization of the expression and function of the C-type lectin receptor CD302 in mice and humans reveals a role in dendritic cell migration* J. Immunol., **197**, 885–898

#### 2.10.3.10 Psoriasis

**Terhorst, D.**, Chelbi, R., Wohn, C., Malosse, C., Tamoutounour, S., Jorquera, A., Bajenoff, M., Dalod, M., Malissen, B. and Henri, S. (2015) *Dynamics and transcriptomics of skin dendritic cells and macrophages in an imiquimod-induced, biphasic mouse model of psoriasis* J. Immunol., **195**, 4953–4961

#### 2.10.3.11 Viruses

**Brackenbury, L.S.**, Carr, B.V., Stamataki, Z., Prentice, H., Lefevre, E.A., Howard, C.J. and Charleston, B. (2005) *Identification of a cell population that produces alpha/beta interferon in vitro and in vivo in response to noncytopathic bovine viral diarrhea virus* J. Virol., **79**, 7738–7744

**Malm, M.**, Krohn, K. and Blazevic, V. (2011) *Immunization with dendritic cells transfected in vivo with HIV-1 plasmid DNA induces HIV-1-specific immune responses* Arch. Virol., **156**, 1607–1610

**Martin, P.**, Ruiz, S.R., Martinez del Hoyo, G., Anjuère, F., Hernandez Vargas, H., Lopez-Bravo, M. and Ardavin, C. (2002) *Dramatic increase in lymph node dendritic cell number during infection by the mouse mammary tumor virus occurs by a CD62L-dependent blood-borne DC recruitment* Blood, **99**, 1282–1288

**Martin, P.**, Martinez del Hoyo, G., Anjuère, F., Fernandez Arias, C., Hernandez Vargas, H., Fernandez-L, A., Parrillas, V. and Ardavin, C. (2002) *Characterization of a new subpopulation of mouse CD8<sup>+</sup> B220<sup>+</sup> dendritic cells endowed with type I interferon production capacity and tolerogenic potential* Blood, **100**, 383–390

**Ruscanu, S.**, Jouneau, L., Urien, C., Bourge, M., Lecardonnel, J., Moroldo, M., Loup, B., Dalod, M., Elhmouzi-Younes, J., Bevilacqua, C., Hope, J., Vitour, D., Zientara, S., Meyer, G. and Schwartz-Cornila, I. (2013) *Dendritic cell subtypes from lymph nodes and blood show contrasted gene expression programs upon bluetongue virus infection* J. Virol., **87**, 9333–9343

#### 2.10.4 MHC class II expression

**Stutte, S.**, Jux, B., Esser, C. and Förster, I. (2008) *CD24a expression levels discriminate Langerhans cells from dermal dendritic cells in murine skin and lymph nodes* J. Invest. Dermatol., **128**, 1470–1475

#### 2.10.5 T cells

##### 2.10.5.1 Development and differentiation

**Jaensson, E.**, Uronen-Hansson, H., Pabst, O., Eksteen, B., Tian, J., Coombes, J.L., Berg, P-L., Davidsson, T., Powrie, F., Johansson-Lindbom, B., Agace, W.W. (2008) *Small intestinal CD103<sup>+</sup> dendritic cells display unique functional properties that are conserved between mice and humans* J. Exp Med., **205**, 2139–2149

##### 2.10.5.2 Function

**Bachy, V.**, Hervouet, C., Becker, P.D., Chorro, L., Carlin, L.M., Herath, S., Papagatsias, T., Barbaroux, J-B., Oh, S-J., Benlahrech, A., Athanasopoulos, T., Dickson, G., Patterson, S., Kwon, S-Y., Geissmann, F. and Klavinskis, L.S. (2013) *Langerin negative dendritic cells promote potent CD8<sup>+</sup> T-cell priming by skin delivery of live adenovirus vaccine microneedle arrays* Proc. Natl. Acad. Sci. USA, **110**, 3041–3046

**Castiglioni, P.**, Lu, C., Lo, D., Croft, M., Langlade-Demoyen, P., Zanetti, M. and Gerloni, M. (2003) *CD4 T cell priming in dendritic cell-deficient mice* Int. Immunol., **15**, 127–136

**Hervouet, C.**, Luci, C., Rol, N., Rousseau, D., Kissenpfennig, A., Malissen, B., Czerkinsky, C. and Anjuère, F. (2010) *Langerhans cells prime IL-17–producing T cells and dampen genital cytotoxic responses following mucosal immunization* J. Immunol., **184**, 4842–4851

**Sakuraba, A.**, Sato, T., Kamada, N., Kitazume, M., Sugita, A. and Hibi, T. (2009) *Th1/Th17 Immune response is induced by mesenteric lymph node dendritic cells in Crohn's disease* Gastroenterology, **137**, 1736–1745

**Nguyen, D.D.**, Wurbel, M-C., Goettel, J.A., Eston, M.A., Ahmed, O.S., Marin, R., Boden, E.K., Villablanca, E.J., Paidassi, H., Ahuja, V., Reinecker, H-C., Fiebiger, E., Lacy-Hulbert, A., Horwitz, B.H., Mora, J.R. and Snapper, S.B. (2012) *Wiskott–Aldrich syndrome protein deficiency in innate immune cells leads to mucosal immune dysregulation and colitis in mice* Gastroenterology, **143**, 719–729

**Wang, X.**, Wang, Q., Zhang, X., Li, Y., Wang, J., Hou, C., Chen, J. Shen, B., Shi, Y. and Zhang, J. (2015) *Endotoxin shock-expanded murine CD11c<sup>low</sup>CD45RB<sup>+</sup> regulatory dendritic cells modulate inflammatory T cell responses through multiple mechanisms* Sci. Rep., **5**: 10653

**Zhan, X-X.**, Liu, Y., Yang, J-F., Wang, G-Y., Mu, L., Zhang, T-S., Xie, X-L., Wang, J-H., Liu, J-M., Kong, Q-F., Li, H-L. and Sun, B. (2013) *All-trans-retinoic acid ameliorates experimental allergic encephalomyelitis by affecting dendritic cell and monocyte development* Immunology, **138**, 333–345

##### 2.10.5.3 Migration

**Dimitroff, C.J.**, Kupper, T.S. and Sackstein, R. (2003) *Prevention of leukocyte migration to inflamed skin with a novel fluorosugar modifier of cutaneous lymphocyte-associated antigen* J. Clin. Invest., **112**, 1008–1018

**Eksteen, B.**, Mora, J.R., Haughton, E.L., Henderson, N.C., Lee–Turner, L., Villablanca E.J., Curbishley, S.M., Aspinall, A.I., Von Andrian, U.H. and Adams, D.H. (2009) *Gut homing receptors on CD8 T cells are retinoic acid dependent and not maintained by liver dendritic or stellate cells* Gastroenterology, **137**, 320–329

#### 2.10.5.4 Proliferation

**Shi, H.N.**, Liu, Y. and Nagler-Anderson, C. (2000) *Enteric infection acts as an adjuvant for the response to a model food antigen* J. Immunol., **165**, 6174–6182

#### 2.10.5.5 Virus responses

**Ruedl, C.**, Schwarz, K., Jegerlehner, A., Storni, T., Manolova, V. and Bachmann, M.F. (2005) *Virus-like particles as carriers for T-cell epitopes: limited inhibition of T-cell priming by carrier-specific antibodies* J. Virol., **79**, 717–724

#### 2.10.6 Vaccines

**Contreras, V.**, Urien, C., Guiton, R., Alexandre, Y., Vu Manh, T-P., Andrieu, T., Crozat, K., Jouneau, L., Bertho, N., Eparaud, M., Hope, J., Savina, A., Amigorena, S., Bonneau, M., Dalod, M. and Schwartz-Cornil, I. (2010) *Existence of CD8 $\alpha$ -like dendritic cells with a conserved functional specialization and a common mol* **Zlotkowska, D.**, Maddaloni, M., Riccardi C., Walters, N., Holderness, K., Callis, G., Rynda-Apple, A. and Pascual, D.W. (2012) *Loss of sialic acid binding domain redirects protein  $\sigma$ 1 to enhance M cell-directed vaccination* PLoS One **7**: e36182 *ecular signature in distant mammalian species* J. Immunol., **185**, 3313–3325

#### 2.11 Periapical lesions (dental)

**Colic, M.**, Gazivoda, D., Vasilijic, S., Vucevic, D. and Lukic, A. (2010) *Production of IL-10 and IL-12 by antigen-presenting cells in periapical lesions* J. Oral Pathol. Med., **39**, 690–696

#### 2.12 Peyer's patch

**Anjuère, F.**, Martin, P., Ferrero, I., Lopez Fraga, M., Martinez del Hoyo, G., Wright, N. and Ardavin, C. (1999) *Definition of dendritic cell subpopulations present in the spleen, Peyer's patches, lymph nodes, and skin of the mouse* Blood, **93**, 590–598

**Lopez-Guerrero, D.V.**, Meza-Perez, S., Ramirez-Pliego, O., Santana-Calderon, M.A., Espino-Solis, P., Gutierrez-Xicotencatl, L., Flores-Romo, L. and Esquivel-Guadarrama, F.R. (2010) *Rotavirus infection activates dendritic cells from Peyer's Patches in adult mice* J. Virol., **84**, 1856–1866

**Ruedl, C.**, Rieser, C., Bock, G., Wick, G. and Wolf, H. (1996) *Phenotypic and functional characterization of CD11c<sup>+</sup> dendritic cell population in mouse Peyer's patches* Eur. J. Immunol., **26**, 1801–1806

**Ruedl, C.**, Koebel, P., Bachmann, M., Hess, M. and Karjalainen, K. (2000) *Anatomical origin of dendritic cells determines their life span in peripheral lymph nodes* J. Immunol., **165**, 4910–4916

**Salazar-Gonzales, R.M.**, Niess, J.H., Zammit, D.J., Ravindran, R., Srinivasan, A., Maxwell, J.R., Stoklasek, T., Yadav, R., Williams, I.R., Gu, X., McCormick, B.A., Pazos, M.A., Vella, A.T., Lefrancois, L., Reinecker, H-C. and McSorley, S. (2006) *CCR6-mediated dendritic cell activation of pathogen-specific T cells in Peyer's patches* Immunity, **24**, 623–632

**Shi, H.N.**, Liu, Y. and Nagler-Anderson, C. (2000) *Enteric infection acts as an adjuvant for the response to a model food antigen* J. Immunol., **165**, 6174–6182

#### 2.13 Rickettsia infections

**Bechelli, J.**, Smalley, C., Zhao, X., Judy, B., Valdes, P., Walker, D.H. and Fang, R. (2016) *MyD88 mediates instructive signaling in dendritic cells and protective inflammatory response during rickettsial infection* Infect. Immun. **84**, 883–893

#### 2.14 Skin

**Hervé, P-L.**, Descamps, D., Deloizy, C., Dhelft, V., Laubreton, D., Bouguyon, E., Boukadiri, A., Dubuquoy, C. et al (2016) *Non-invasive epicutaneous vaccine against Respiratory Syncytial Virus: Preclinical proof of concept* J. Control. Release, **243**, 146–159

#### 2.15 Spinal cord – see 2.3 Brain meninges

## 2.16 Spleen

### 2.16.1 Apoptosis

**Gossner, A.**, Roupaka, S., Foster, J., Hunter, N. and Hopkins, J. (2011) *Transcriptional profiling of peripheral lymphoid tissue reveals genes and networks linked to SSBP/1 scrapie pathology in sheep* Vet. Microbiol., **153**, 218–228

**Nakayama, M.**, Akiba, H., Takeda, K., Kojima, Y., Hashiguchi, M., Azuma, M., Yagita, H. and Okumura, K. (2009) *Tim-3 mediates phagocytosis of apoptotic cells and cross-presentation* Blood, **113**, 3821–3830

**Yamazaki, T.**, Akiba, H., Iwai, H., Matsuda, H., Aoki, M., Tanno, Y., Shin, T., Tsichiya, H., Pardoll, D.M., Okumura, K., Azuma, M. and Yagita, H. (2002) *Expression of programmed death 1 ligands by murine T cells and APC* J. Immunol., **169**, 5538–5545

### 2.16.2 Derivation, development and maturation

#### 2.16.2.1 B cell memory

**Kang, SA.**, Keener, A.B., Jones, S.Z., Benschop, R.J., Caro-Maldonado, A., Rathmell, J.C., Clarke, S.H., Matsushima, G.K., Whitmire, J.K. and Vilen, B.J. (2016) *IgG-immune complexes promote B cell memory by inducing BAFF* J. Immunol., **196**, 196–206

#### 2.16.2.2 CD4 subsets

**Stojić-Vukanić, Z.**, Bufan, B., Pilipović, I., Vujnović, I., Nacka-Aleksić, M., Petrović, R., Arsenović-Ranin, N. and Leposavić, G. (2016) *Estradiol enhances capacity of TLR-matured splenic dendritic cells to polarize CD4<sup>+</sup> lymphocytes into IL-17/GM-CSF-producing cells in vitro* Int. Immunopharmacol., **40**, 244–253

**Yang, G-X.**, Lian, Z-X., Kikuchi, K., Liu, Y-J., Ansari, A.A., Ikhara, S. and Gershwin, M.E. (2005) *CD4<sup>+</sup> plasmacytoid dendritic cells (pDCs) migrate in lymph nodes by CpG inoculation and represent a potent functional subset of pDCs* J. Immunol., **174**, 3197–3203

#### 2.16.2.3 CD8 subsets

**Anjuère, F.**, Martin, P., Ferrero, I., Lopez Fraga, M., Martinez del Hoyo, G., Wright, N. and Ardavin, C. (1999) *Definition of dendritic cell subpopulations present in the spleen, Peyer's patches, lymph nodes, and skin of the mouse* Blood, **93**, 590–598

**Kamachi, F.**, Harada, N., Usui, Y., Sakanishi, T., Ishii, N., Okumura, K., Miyake, S. and Akiba, H. (2014) *OX40 ligand regulates splenic CD8<sup>-</sup> dendritic cell-induced Th2 responses in vivo* Biochem. Biophys. Res. Comm., **444**, 235–240

**Martin, P.**, Martinez del Hoyo, G., Anjuère, F., Riuz, S.R., Arias, C.F., Marin A.R. and Ardavin, C. (2000) *Concept of lymphoid versus myeloid dendritic cell lineages revisited: both CD8 $\alpha$ <sup>-</sup> and CD8 $\alpha$ <sup>+</sup> dendritic cells are generated from CD4<sup>low</sup> lymphoid-committed precursors* Blood, **96**, 2511–2519

**Martinez Del Hoyo, G.M.**, Martin, P., Arias, F.C., Marin, A.R. and Ardavin, C. (2002) *CD8 $\alpha$ <sup>+</sup> dendritic cells originate from CD8 $\alpha$ <sup>-</sup> dendritic cell subset by a maturation process involving CD8 $\alpha$ , DEC-205, and CD24 up-regulation* Blood, **99**, 999–1004

**Ruedl, C.**, Koebel, P., Bachmann, M., Hess, M. and Karjalainen, K. (2000) *Anatomical origin of dendritic cells determines their life span in peripheral lymph nodes* J. Immunol., **165**, 4910–4916

#### 2.16.2.4 CD11 subsets

**Ferrero, I.**, Held, W., Wilson, A., Tacchini-Cottier, F., Radtke, F. and MacDonald, H.R. (2002) *Mouse CD11c<sup>+</sup> B220<sup>+</sup> Gr1<sup>+</sup> plasmacytoid dendritic cells develop independently of the T-cell lineage* Blood, **100**, 2852–2857

**Li, J-C.**, Park, J-H., Foss, D. and Goldschneider, I. (2009) *Thymus-homing peripheral dendritic cells constitute two of the three major subsets of dendritic cells in the steady-state thymus* J. Exp. Med., **206**, 607–622

**Ruedl, C.**, Koebel, P., Bachmann, M., Hess, M. and Karjalainen, K. (2000) *Anatomical origin of dendritic cells determines their life span in peripheral lymph nodes* J. Immunol., **165**, 4910–4916

#### 2.16.2.5 Chemokines

**Van Rijn, A.**, Paulis, L., te Riet, J., Vasaturo, A., Reinieren-Beeren, I., van der Schaaf, A., Kuipers, A.J., Schulte, L.P. et al (2016) *Semaphorin 7A promotes chemokine-driven dendritic cell migration* J. Immunol., **196**, 459–468

#### 2.16.2.6 Estradiol

**Stojić-Vukanić, Z.**, Nacka-Aleksić, M., Bufan, B., Pilipović, I., Arsenović-Ranin, N., Djikić, J., Kosec, D. and Leposavić, G. (2015) *17 $\beta$ -Estradiol influences in vitro response of aged rat splenic conventional dendritic cells to TLR4 and TLR7/8 agonists in an agonist specific manner* Int. Immunopharmacol., **24** (2015) 24–35

### 2.16.2.7 Functional analysis

**Tetlak, P.** and Ruedl, C. (2016) *Analysis of dendritic cell function using Clec9A-DTR transgenic mice* In *Methods Mol. Biol.*, **1423**, Dendritic Cell Protocols (eds. Segura, E. and Onai, N.) Springer Science+Business Media LLC, pp 275-289

### 2.16.2.8 Growth factors

**Waskow, C.**, Liu, K., Darrasse-Jèze, G., Guermonprez, P., Ginhoux, F., Merad, M., Shengelia, T., Yao, K. and Nussenzweig, M. (2008) *The receptor tyrosine kinase Flt3 is required for dendritic cell development in peripheral lymphoid tissues* *Nat. Immunol.*, **9**, 676-683

### 2.16.2.9 IFN production

**Kreutz, M.**, Bakdash, G., Dolen, Y., Sköld, A.E., van Hout-Kuijper, M.A., de Vries, J.M. and Figdor, C.G. (2015) *Type I IFN-mediated synergistic activation of mouse and human DC subsets by TLR agonists* *Eur. J. Immunol.*, **45**, 2798–2809

**Niedzielska, M.**, Raffi, F.A.M., Tel, J., Muench, S., Jozefowski, K., Alati N., Lahl, K., Mages, J., Billmeier, U. et al (2015) *Selective expression of the MAPK phosphatase Dusp9/MKP-4 in mouse plasmacytoid dendritic cells and regulation of IFN- $\beta$  production* *J. Immunol.*, **195**, 1753–1762

### 2.16.2.10 MHCII expression

**Chen, X.**, Reed-Loisel, L.M., Karlsson, L. and Jensen, P.E. (2006) *H2-O expression in primary dendritic cells* *J. Immunol.*, **176**, 3548-3556

**Landmann, S.**, Mühlethaler-Mottet, A., Bernasconi, L., Suter, T., Waldburger, J-M., Masternak, K., Arrighi, J-F., Hauser, C., Fontana, A. and Reith, W. (2001) *Maturation of dendritic cells is accompanied by rapid transcriptional silencing of class II transactivator (CIITA) expression* *J. Exp. Med.*, **194**, 379-391

**Li, J-C.**, Park, J-H., Foss, D. and Goldschneider, I. (2009) *Thymus-homing peripheral dendritic cells constitute two of the three major subsets of dendritic cells in the steady-state thymus* *J. Exp. Med.*, **206**, 607-622

### 2.16.2.11 Notch-1

**Radtke, F.**, Ferrero, I., Wilson, A., Lees, R., Aguet, M. and MacDonald, H.R. (2000) *Notch1 deficiency dissociates the intrathymic development of dendritic cells and T cells* *J. Exp. Med.*, **191**, 1085-1093

### 2.16.2.12 T cell helper cells

**Ruedl, C.**, Kopf, M. and Bachmann, M.F. (1999) *CD8<sup>+</sup> T cells mediate CD40-independent maturation of dendritic cells in vivo* *J. Exp. Med.*, **189**, 1875-1883

### 2.16.2.13 Transplantation

**Banovic, T.**, Markey, K.A., Kuns, R.D., Olver, S.D., Raffelt, N.C., Don, A.L., Degli-Esposti, M.A., Engwerda, C.R., MacDonald, K.P.A. and Hill, G.R. (2009) *Graft-versus-host disease prevents the maturation of plasmacytoid dendritic cells* *J. Immunol.*, **182**, 912–920

## 2.16.3 Detection *in vitro*

**Zarnini, A.H.**, Moazzeni, S-M., Shokri, F., Salehnia, M., Dokouhaki, P., Shojaeian, J. and Jeddi-Tehrani, M. (2006) *The efficient isolation of murine splenic dendritic cells and their cytochemical features* *Histochem. Cell Biol.*, **126**, 275-282

## 2.16.4 Immune responses

### 2.16.4.1 Autoimmunity and autoimmune diseases

**Ding, Y.**, Seow, S.V., Huang, C.H., Liew, L.M., Lim, Y.C., Kuo, C. and Chua, K.Y. (2009) *Coadministration of the fungal immunomodulatory protein FIP-Fve and a tumour-associated antigen enhanced antitumour immunity* *Immunology*, **128**, e881–e894

**Gelderman, K.A.**, Hultqvist, M., Holmberg, J., Olafsson, P. and Holmdahl, R. (2006) *T cell surface redox levels determine T cell reactivity and arthritis susceptibility* *Proc. Natl. Acad. Sci., USA*, **103**, 12831-12836

**Hayashi, T.**, Beck, L., Rossetto, C., Gong, X., Takikawa, O., Takabayashi, K., Broide, D.H. and Raz, E. (2004) *Inhibition of experimental asthma by indoleamine 2,3-dioxygenase* *J. Clin. Invest.*, **114**, 270-279

**Homann, D.**, Jahrels, A., Wolfe, T., Hughes, A., Coon, B., van Stipdonk, M.J.B., Prillman, K.R., Schoenberger, S.P. and von Herrath, M.G. (2002) *CD40L blockade prevents autoimmune diabetes by induction of bitypic NK/DC regulatory cells* *Immunity*, **16**, 403-415

**Kim, Y.S.**, Yang, S.H., Kang, H.G., Seong, E.Y., Lee, S.H., Gao, W., Kenny, J., Zheng, X.X. and Strom, T.B. (2006) *Distinctive role of donor strain immature dendritic cells in the creation of allograft tolerance* *Int. Immunol.*, **18**, 1771-1777

Motegi, S-I., Okazawa, H., Murata, Y., Kanazawa, Y., Saito, Y., Kobayashi, H., Ohnishi, H., Oldenborg, P-A., Ishikawa, O., and Matozaki, T. (2008) *Essential roles of SHPS-1 in induction of contact hyper-sensitivity of skin* Immunol. Lett., **121**, 52-60

Okada, T., Lian, Z-X., Hsu, T., Naiki, M., Ansari, A.A., Robinson, D., Kung, H-J., Boyd, R. and Gershwin, E. (2002) *Elevated C-met in thymic dendritic cells of New Zealand black mice* Dev. Immunol., **9**, 29-34

Okunishi, K., Dohi, M., Nakagome, K., Tanaka, R., Mizuno, S., Matsumoto, K., Miyazaki, J-i., Nakamura, T. and Yamamoto, K. (2005) *A novel role of hepatocyte growth factor as an immune regulator through suppressing dendritic cell function* J. Immunol., **175**, 4745-4753

Sonderegger, I., Iezzi, G., Maier, R., Schmitz, N., Kurrer, M. and Kopf, M. (2008) *GM-CSF mediates autoimmunity by enhancing IL-6-dependent Th17 cell development and survival* J. Exp. Med., **205**, 2281-2294

Tomizawa, T., Kaneko, Y., Kaneko, Y., Saito, Y., Ohnishi, H., Okajo, J., Okuzawa, C., Ishikawa-Sekigami, T., Murata, Y., Okazawa, H., Okamoto, K., Nojima, Y. and Matozaki, T. (2007) *Resistance to experimental autoimmune encephalomyelitis and impaired T cell priming by dendritic cells in Src homology 2 domain-containing protein tyrosine phosphatase substrate-1 mutant mice* J. Immunol., **179**, 869-877

#### 2.16.4.2 Dietary responses

Devkota, S., Wang, Y., Musch, M.W., Leone, V., Fehlner-Peach, H., Nadimpalli, A., Antonopoulos, D.A., Jabri, B. and Chang, E.B. (2012) *Dietary-fat-induced taurocholic acid promotes pathobiont expansion and colitis in I1102/2 mice* Nature **487**, 104-108

#### 2.16.4.3 Functional control

Luckashenak, N.A., Ryszkiewicz, R.L., Ramsey, K.D. and Clements, J.L. (2006) *The Src homology 2 domain-containing leukocyte protein of 76-kDa adaptor links integrin ligation with p44/42 MAPK phosphorylation and podosome distribution in murine dendritic cells* J. Immunol., **177**, 5177-5185

Stojić-Vukanić, Z., Bufan, B., Arsenović-Ranin, N., Kosec, D., Pilipović I., Perišić, Nanut, M.P. and Laposavić, G. (2013) *Aging affects AO rat splenic conventional dendritic cell subset composition, cytokine synthesis and T-helper polarizing capacity* Biogerontology, **14**, 443-459

Vucevic, D., Melliou, E., Vasilijic, S., Gasic, S., Ivanovski, P., Chinou, I. and Colic, M. (2007) *Fatty acids from royal jelly modulate dendritic cell-mediated immune response in vitro* Int. Immunopharmacol., **7**, 1211-1220

Zarnani, A.H., Moazzeni, S.M., Shokri, F., Salehnia, M., Dokouhaki, P., Ghods, R., Mahmoodi, A.R. and Jeddi-Tehrani, M. (2008) *Microenvironment of the feto-maternal interface protects the semiallogenic fetus through its immunomodulatory activity on dendritic cells* Fertil. Steril., **90**, 781-788

#### 2.16.4.4 Immunotherapy

Poulin, L.F., Salio, M., Griessinger, E., Anjos-Afonso, F., Craciun, L., Chen, J-L., Keller, A.M., Joffre, O., Zelenay, S., Nye, E., Le Moine, A., Faure, F., Donckier, V., Sancho, D., Cerundolo, V., Bonnet, D. and Reis e Sousa, C. (2010) *Characterization of human DNGR-1<sup>+</sup> BDCA3<sup>+</sup> leukocytes as putative equivalents of mouse CD8 $\alpha$ <sup>+</sup> dendritic cells* J. Exp. Med., **207**, 1261-1271

#### 2.16.4.5 Infection

Bayat, A.A., Akhondi, M.M., Ostadkarampour, M., Rezanian, S. and Zarnani, A.H. (2009) *Mutual helper effect in co-pulsing of dendritic cells with 2 antigens: a novel approach for improvement of dendritic-based vaccine efficacy against tumors and infectious diseases simultaneously* J. Immunother., **32**, 325-332

Chen, C-C., Louie, S., McCormick, B.A., Walker, W.A. and Shi, H.N. (2006) *Helminth-primed dendritic cells: alter the host response to enteric bacterial infection* J. Immunol., **176**, 472-483

Chen, C-C., Chiu, C-H., Lin, Y-Y., Shi, H.N. and Walker, W.A. (2009) *Effect of probiotics Lactobacillus acidophilus on Citrobacter rodentium colitis: the role of dendritic cells* Pediatr. Res. **65**, 169-175

Didierlaurent, A., Ferrero, I., Otten, L.A., Dubois, B., Reinhardt, M., Carlsen, H., Blomhoff, R., Akira, S., Kraehenbuhl, J-P. and Sirard, J-C. (2004) *Flagellin promotes myeloid differentiation factor 88-dependent development of Th2-type response* J. Immunol., **172**, 6922-6930

Martin, P., Martinez del Hoyo, G., Anjuère, F., Fernandez Arias, C., Hernandez Vargas, H., Fernandez-L, A., Parrillas, V. and Ardavin, C. (2002) *Characterization of a new subpopulation of mouse CD8<sup>+</sup> B220<sup>+</sup> dendritic cells endowed with type 1 interferon production capacity and tolerogenic potential* Blood, **100**, 383-390

Miura, T., Kudo, T., Matsuki, A., Sekikawa, K., Tagawa, Y-C., Iwakura, Y. and Nakane, A. (2001) *Effect of 6-hydroxydopamine on host resistance against Listeria monocytogenes infection* Infect. Immun., **69**, 7234-7241

Sashinami, H., Nakane, A., Iwakura, Y. And Sasaki, M. (2003) *Effective induction of acquired resistance to Listeria monocytogenes by immunizing mice with in vivo-infected dendritic cells* Infect. Immun., **71**, 117-125

Shi, H.N., Liu, Y. and Nagler-Anderson, C. (2000) *Enteric infection acts as an adjuvant for the response to a model food antigen* J. Immunol., **165**, 6174-6182

Shojaeian, J., Jeddi-Tehrani, M., Dokouhaki, P., Mahmoudi, A.R., Ghods, R., Bozorgmehr, M., Nikoo, S.,

Mosa, A., Trumstedt, C., Eriksson, E., Soehnlein, O., Heuts, F., Janik, K., Klos, A., Dittrich-Breiholz, O., Kracht, M., Hidmark, A., Wigzell, H. and Rottenberg, M.E. (2009) *Non-hematopoietic cells control the outcome of infection with Listeria monocytogenes in a nucleotide oligomerization domain 1-dependent manner* Infect. Immun., **77**, 2908-2918

**Simeone, R.**, Sayes, F., Song, O., Gröschel, M.I., Brodin, P., Brosch, R. and Majlessi, L. (2015) *Cytosolic access of mycobacterium tuberculosis: critical impact of phagosomal acidification control and demonstration of occurrence in vivo* PLoS Pathog., **10**: e1004650

#### 2.16.4.6 Inflammatory responses

**Abe, K.**, Nguyen, K.P., Fine, S.D., Mo, J-H., Shen, C., Shenouda, S., Corr, M., Jung, S., Lee, J., Eckmann, L. and Raz, E. (2007) *Conventional dendritic cells regulate the outcome of colonic inflammation independently of T cells* Proc. Natl. Acad. Sci. USA, **104**, 17022-17027

**DePaolo, R.W.**, Abadie, V., Tang, F., Fehlner-Peach, H., Hall, J.A., Wang, W., Marietta, E.V., Kasarda, D.D., Waldmann, T.A., Murray, J.A., Semrad, C., Kupfer, S.S., Belkaid, Y., Guandalini, S. and Jabri, B. (2011) *Co-adjuvant effects of retinoic acid and IL-15 induce inflammatory immunity to dietary antigens* Nature, **471**, 220-224

**Schroder, W.A.**, Le, T.T.T., Major, L., Street, S., Gardner, J., Lambley, E., Markey, K., MacDonald, K.P., Fish, R.J., Thomas, R. and Suhrbier, A. (2010) *A physiological function of inflammation-associated SerpinB2 is regulation of adaptive immunity* J. Immunol., **184**, 2663-2670

**Soruri, A.**, Kim, S., Kiafard, Z. and Zwirner, J. (2003) *Characterization of C5aR expression on murine myeloid and lymphoid cells by the use of a novel monoclonal antibody* Immunol. Lett., **88**, 47-52

**Wang, X.**, Wang, Q., Zhang, X., Li, Y., Wang, J., Hou, C., Chen, J., Shen, B., Shi, Y. and Zhang, J. (2015) *Endotoxic shock-expanded murine CD11c<sup>low</sup>CD45RB<sup>+</sup> regulatory dendritic cells modulate inflammatory T cell responses through multiple mechanisms* Sci. Rep., **5**: 10653

#### 2.16.4.7 Listeria

**Arnold-Schrauf, C.**, Dudek, M., Dielmann, A., Pace, L., Swallow, M., Kruse, F., Kühl, A.A., Holzmann, B., Berod, L. and Sparwasser, T. (2014) *Dendritic cells coordinate innate immunity via MyD88 signaling to control Listeria monocytogenes infection* Cell Rep., **6**, 698-708

**Martinez del Hoyo, G.**, Ramírez-Huesca, M., Levy, S., Boucheix, C., Rubinstein, E., Minguito de la Escalera, M., González-Cintado, L., Ardavin, C. et al (2015) *CD81 controls immunity to Listeria infection through Rac-dependent inhibition of proinflammatory mediator release and activation of cytotoxic T cells* J. Immunol., **194**, 6090-6101

#### 2.16.4.8 Interferons

**Suto, A.**, Nakajima, H., Tokumasa, N., Takatori, H., Kagami, S-I., Suzuki, K. and Iwamoto, I. (2005) *Murine plasmacytoid dendritic cells produce IFN- $\gamma$  upon IL-4 stimulation* J. Immunol., **175**, 5681-5689

#### 2.16.4.9 Prion proteins

**Gossner, A.G.**, Bennet, N., Hunter, N. and Hopkins, J. (2009) *Differential expression of Prnp and Sprn in scrapie infected sheep also reveals Prnp genotype specific differences* Biochem. Biophys. Res. Commun., **378**, 862-866

**Gossner, A.**, Roupaka, S., Foster, J., Hunter, N. and Hopkins, J. (2011) *Transcriptional profiling of peripheral lymphoid tissue reveals genes and networks linked to SSBP/1 scrapie pathology in sheep* Vet. Microbiol., **153**, 218-228

**Martinez del Hoyo, G.**, Lopez-Bravo, M., Metharom, P., Ardavin, C. and Aucouturier, P. (2006) *Prion protein expression by mouse dendritic cells is restricted to the nonplasmacytoid subsets and correlates with the maturation state* J. Immunol., **177**, 6137-6142

#### 2.16.4.10 Tumour interactions

**Futagawa, T.**, Akiba, H., Kodama, T., Takeda, K., Hosoda, Y., Yagita, H. and Okumura, K. (2002) *Expression and function of 4-1BB and 4-1BB ligand on murine dendritic cells* Int. Immunol., **14**, 275-286

**Nierkens, S.**, den Brok, M.H., Garcia, Z., Togher, S., Wagenaars, J., Wassink, M., Boon, L., Ruers, T.J., Figdor, C.G., Schoenberger, S.P., Adema, G.J. and Janssen, E.M. (2011) *Immune adjuvant efficacy of CpG oligonucleotide in cancer treatment is founded specifically upon TLR9 function in plasmacytoid dendritic cells* Cancer Res., **71**, 6428-37

**Okajo, J.**, Kaneko, Y., Murata, Y., Tomizawa, T., Okuzawa, C., Saito, Y., Kaneko, Y., Ishikawa-Sekigami, T., Okazawa, H., Ohnishi, H., Matozaki, T. and Nojima, Y. (2007) *Regulation by Src homology 2 domain-containing protein tyrosine phosphatase substrate-1 of  $\alpha$ -galactosylceramide-induced antimetastatic activity and Th1 and Th2 responses of NKT cells* J. Immunol., **178**, 6164-6172



Perez-Shibayama, C., Gil-Cruz, C., Nussbacher, M., Allgäuer, E., Cervantes-Barragan, L., Züst, R. and Ludewig, R. (2013) *Dendritic cell-specific delivery of Flt3L by coronavirus vectors secures induction of therapeutic antitumor immunity* PLoS One, **8**: e81442

Shojaeian, J., Jeddi-Tehrani, M., Dokouhaki, P., Mahmoudi, A.R., Ghods, R., Bozorgmehr, M., Nikoo, S., Bayat, A.A., Akhondi, M.M., Ostadkarampour, M., Rezania, S. and Zarnani, A.H. (2009) *Mutual helper effect in co-pulsing of dendritic cells with 2 antigens: a novel approach for improvement of dendritic-based vaccine efficacy against tumors and infectious diseases simultaneously* J. Immunother., **32**, 325–332

#### 2.16.4.11 Vaccination

Zlotkowska, D., Maddaloni, M., Riccardi C., Walters, N., Holderness, K., Callis, G., Rynda-Apple, A. and Pascual, D.W. (2012) *Loss of sialic acid binding domain redirects protein  $\sigma 1$  to enhance M cell-directed vaccination* PLoS One **7**: e36182

#### 2.16.4.12 Viruses

Andrews, D.M., Estcourt, M.J., Andoniu, C.E., Wikstrom, M.E., Khong, A., Voigt, V., Fleming, P., Tabarias, H., Hill, G.R., van der Most, R.G., Scalzo, A.A., Smyth, M.J. and Degli-Esposti, M.A. (2010) *Innate immunity defines the capacity of antiviral T cells to limit persistent infection* J. Exp. Med., **207**, 1333-1343

Cervantes-Barragan, L., Züst, R., Weber, F., Spiegel, M., Lang, K.S., Akira, S., Thiel, V. and Ludewig, B. (2007) *Control of coronavirus infection through plasmacytoid dendritic cell-derived type I interferon* Blood, **109**, 1131-1137

Fossum, E., Grødeland, G., Terhorst, D., Tveita, A.A., Vikse, E., Mjaaland, S., Henri, S., Malissen, B. and Bogen, B. (2015) *Vaccine molecules targeting Xcr1 on cross-presenting DCs induce protective CD8+ T-cell responses against influenza virus* Eur. J. Immunol., **45**, 624–635

Ruedl, C., Schwarz, K., Jegerlehner, A., Storni, T., Manolova, V. and Bachmann, M.F. (2005) *Virus-like particles as carriers for T-cell epitopes: limited inhibition of T-cell priming by carrier-specific antibodies* J. Virol., **79**, 717-724

Wiegand, C., Wolint, P., Frenzel, C., Cheruti, U., Schmitt, E., Oxenius, A., Lohse, A.W. and Herkel, J. (2007) *Defective T helper response of hepatocyte-stimulated CD4 T cells impairs antiviral CD8 response and viral clearance* Gastroenterology **133**, 2010-2018

Wikstrom, M.E., Fleming, P., Kuns, R.D., Schuster, I.S., Voigt, V., Miller, G., Clouston, A.D., Tey, S-K., Andoniu, C.E. et al (2015) *Acute GVHD results in a severe DC defect that prevents T-cell priming and leads to fulminant cytomegalovirus disease in mice* Blood, **126**, 1503-1514

Williams, M.A., Tan, J.T., Adams, A.B., Durham, M.M., Shirasugi, N., Whitmire, J.K., Harrington, L.E., Ahmed, R., Pearson, T.C. and Larsen, C.P. (2001) *Characterization of virus-mediated inhibition of mixed chimerism and allospecific tolerance* J. Immunol., **167**, 4987-4995

Züst, R., Cervantes-Barragán, L., Kuri, T., Blakqori, G., Weber, F., Ludewig, B. and Thiel, V. (2007) *Coronavirus non-structural protein 1 is a major pathogenicity factor: implications for the rational design of coronavirus vaccines* PLoS Pathog., **3**, 1062-1072

#### 2.16.5 MHC class II expression/interactions

Bonasio, R., Scimone, M.L., Schaerli, P., Grabie, N., Lichtman, A.H. and von Adrian, U.H. (2006) *Clonal deletion of thymocytes by circulating dendritic cells homing to the thymus* Nat. Immunol., **7**, 1092-1100

Brockner, T. (1997) *Survival of mature CD4 T lymphocytes is dependent on major histocompatibility complex class II-expression dendritic cells* J. Exp. Med., **186**, 1223-1232

Clausen, B.E., Waldburger, J-M., Schwenk, F., Barras, E., Mach, B., Rajewsky, K., Forster, I. and Reith, W. (1998) *Residual MHC class II expression on mature dendritic cells and activated B cells in RFX5-deficient mice* Immunity, **8**, 143-155

Culina, S., Mauvais, F-X., Hsu, H-T., Burgevin, A., Guénette, S., Moser, A., and van Endert, P. (2014) *No major role for insulin-degrading enzyme in antigen presentation by MHC molecules* PLoS One, **9**: e88365

Keller, A.M., Groothuis, T.A., Veraar, E.A.M., Marsman, M., Maillette de Buy Wenniger, L. Janssen, H., Neefjes, J. and Borst, J. (2007) *Costimulatory ligand CD70 is delivered to the immunological synapse by shared intracellular trafficking with MHC class II molecules* Proc. Natl. Acad. Sci. USA, **104**, 5989-5994

Koyama, M., Kuns, R.D., Olver, S.D., Raffelt, N.C., Wilson, Y.A., Don, A.L.J., Lineburg, K.E., Cheong, M., Robb, R.J., Markey, K.A., Varelias, A., Malissen, B., Hämmerling, G.J., Clouston, A.D., Engwerda, C.R., Bhat, P., MacDonald, K.P.A. and Hill, G.R. (2012) *Recipient nonhematopoietic antigen-presenting cells are sufficient to induce lethal acute graft-versus-host disease* Nat. Med., **18**, 135-142

LeibundGut-Landemann, S., Waldburger, J-M., Reis e Sousa, C. Acha-Orbea, H. and Reith, W. (2004) *MHC class II expression is differentially regulated in plasmacytoid and conventional dendritic cells* Nat. Immunol., **5**, 899-908

Vucevic, D., Melliou, E., Vasilijic, S., Gasic, S., Ivanovski, P., Chinou, I. and Colic, M. (2007) *Fatty acids from royal jelly modulate dendritic cell-mediated immune response in vitro* Int. Immunopharmacol., **7**, 1211-1220

Waldburger, J-M., Suter, T., Fontana, A., Acha-Orbea, H. and Reith, W. (2001) *Selective abrogation of major histocompatibility complex class II expression on extrahematopoietic cells in mice lacking promoter IV of the class II transactivator gene* J. Exp. Med., **194**, 393-406

## 2.16.6 Migration

Bonasio, R., Scimone, M.L., Schaerli, P., Grabie, N., Lichtman, A.H. and von Adrian, U.H. (2006) *Clonal deletion of thymocytes by circulating dendritic cells homing to the thymus* Nat. Immunol., **7**, 1092-1100

Lo, T-H., Silveira, P.A., Fromm, P.D., Verma, N.D., Vu, P.A., Kupresanin, F., Adam, R., Kato, M., Cogger, V.C., Clark, G.J., and Hart, D.N.J. (2016) *Characterization of the expression and function of the C-type lectin receptor CD302 in mice and humans reveals a role in dendritic cell migration* J. Immunol., **197**, 885-898

van Rijn, A., Paulis, L., te Riet, J., Vasaturo, A., Reinieren-Beeren, I., van der Schaaf, A., Kuipers, A.J., Schulte, L.P. et al (2016) *Semaphorin 7A promotes chemokine-driven dendritic cell migration* J. Immunol., **196**, 459-468

## 2.16.7 T cells

### 2.16.7.1 Development and differentiation

Bailey, S., Schreiner, B., McMahon, E.J. and Miller, S. (2007) *CNS myeloid DCs presenting endogenous myelin peptides 'preferentially' polarize CD4<sup>+</sup> T<sub>H</sub>-17 cells in relapsing EAE* Nat. Immunol., **8**, 172-180

Brockner, T. (1997) *Survival of mature CD4 T lymphocytes is dependent on major histocompatibility complex class II-expression dendritic cells* J. Exp. Med., **186**, 1223-1232

Hegazy, A.N. and Klein, C. (2008) *Ex vivo priming of CD4 T cells converts immunological tolerance into effective antitumor immunity in a murine model of acute lymphoblastic leukemia* Leukemia, **22**, 2070

Tokumasa, N., Suto, A., Kagami, S-i., Furuta, S., Hirose, K., Watanabe, N., Saito, Y., Shimoda, K., Iwamoto, I. and Nakajima, H. (2007) *Expression of Tyk2 in dendritic cells is required for IL-12, IL-23 and IFN- $\gamma$  production and the induction of Th1 cell differentiation* Blood, **110**, 553-560

Yamaguchi, E., Chiba, S., Kumano, K., Kunisato, A., Takahashi, T., Takahashi, T. and Hirai, H. (2002) *Expression of Notch ligands, Jagged1, and Delta1 in antigen presenting cells in mice* Immunol. Lett., **81**, 59-64

### 2.16.7.2 Function

Cavanagh, L.L., Bonasio, R., Mazo, I.B., Halin, C., Cheng, G., van der Velden, A.W.M., Cariappa, C., Russell, P., Starnbach, M.N., Koni, P.A., Pillai, S., Weninger, W. and von Andrian, U.H. (2005) *Activation of bone marrow-resident memory T cells by circulating, antigen-bearing dendritic cells* Nat. Immunol., **6**, 1029-1037

Dresch, C., Ackermann, M., Vogt, B., de Andrade Pereira, B., Shortman, K., and Fraefel, C. (2011) *Thymic but not splenic CD81 DCs can efficiently cross-prime T cells in the absence of licensing factors* Eur. J. Immunol., **41**, 2544-2555

Eksteen, B., Mora, J.R., Houghton, E.L., Henderson, N.C., Lee-Turner, L., Villablanca E.J., Curbishley, S.M., Aspinall, A.I., Von Andrian, U.H. and Adams, D.H. (2009) *Gut homing receptors on CD8 T cells are retinoic acid dependent and not maintained by liver dendritic or stellate cells* Gastroenterology, **137**, 320-329

Fossum, E., Grødeland, G., Terhorst, D., Tveita, A.A., Vikse, E., Mjåland, S., Henri, S., Malissen, B. and Bogen, B. (2015) *Vaccine molecules targeting Xcr1 on cross-presenting DCs induce protective CD8<sup>+</sup> T-cell responses against influenza virus* Eur. J. Immunol., **45**, 624-635

Hegazy, A.N. and Klein, C. (2008) *Ex vivo priming of CD4 T cells converts immunological tolerance into effective antitumor immunity in a murine model of acute lymphoblastic leukemia* Leukemia, **22**, 2070

Kawashima, S., Hirose, K., Iwata, A., Takahashi, K., Ohkubo, A., Tamachi, T., Ikeda, K., Kagami, S-i. and Nakajima, H. (2012)  *$\beta$ -Glucan curdlan induces IL-10-producing CD4<sup>+</sup> T cells and inhibits allergic airway inflammation* J. Immunol., **89**, 5713-5721

MacDonald, K.P.A., Kuns, R.D., Rowe, V., Morris, E.S., Banovic, T., Bofinger, H., O'Sullivan, B., Markey, K.A., Don, A.L., Thomas, R. and Hill, G.R. (2007) *Effector and regulatory T-cell function is differentially regulated by RelB within antigen-presenting cells during GVHD* Blood, **109**, 5049-5057

Markey, K.A., Gartlan, K.H., Kuns, R.D., MacDonald, K.P.A. and Hill, G.R. (2015) *Imaging the immunological synapse between dendritic cells and T cells* J. Immunol. Meth., **423**, 40-44

Mayer, C.T., Huntentburg, J., Nandan, A., Schmitt, E., Czeloth, N. and Sparwasser, T. (2013) *CD4 blockade directly inhibits mouse and human CD4<sup>+</sup> T cell functions independent of Foxp3<sup>+</sup> Tregs* J. Autoimmun., **47**, 73-82

Mazo, I.B., Honczarenko, M., Leung, H., Cavanagh, L.L., Bonasio, R., Weninger, W., Enegleke, K., Xia, L., McEver, R.P., Koni, P.A., Silberstein, L.E. and von Andrian, U.H. (2005) *Bone marrow is a major reservoir and site of recruitment for central memory CD8<sup>+</sup> T cells* Immunity, **22**, 259-270

- Motegi, S.-I.**, Okazawa, H., Murata, Y., Kanazawa, Y., Saito, Y., Kobayashi, H., Ohnishi, H., Oldenborg, P.-A., Ishikawa, O., and Matozaki, T. (2008) *Essential roles of SHPS-1 in induction of contact hyper-sensitivity of skin* Immunol. Lett., **121**, 52-60
- Nguyen, D.D.**, Wurbel, M.-C., Goettel, J.A., Eston, M.A., Ahmed, O.S., Marin, R., Boden, E.K., Villablanca, E.J., Paidassi, H., Ahuja, V., Reinecker, H.-C., Fiebiger, E., Lacy-Hulbert, A., Horwitz, B.H., Mora, J.R. and Snapper, S.B. (2012) *Wiskott–Aldrich syndrome protein deficiency in innate immune cells leads to mucosal immune dysregulation and colitis in mice* Gastroenterology, **143**, 719–729
- Nguyen, V.**, Pearson, K., Kim, J.-H., Kamdar, K. and DePaolo, R.W. (2015) *Retinoic acid can exacerbate T cell intrinsic TLR2 activation to promote tolerance* PLoS One, **10**: e0118875
- Padassi, H.**, Acharya, M., Zhang, A., Mukhopadhyay, S., Kwon, M., Chow, C., Stuart, L.M., Savill, J. and Lacy-Hulbert, A. (2011) *Preferential expression of integrin  $\alpha\beta 8$  promotes generation of regulatory T cells by mouse CD103<sup>+</sup> dendritic cells* Gastroenterology, **141**, 1813–1820
- Poulin, L.F.**, Salio, M., Griessinger, E., Anjos-Afonso, F., Craciun, L., Chen, J.-L., Keller, A.M., Joffre, O., Zelenay, S., Nye, E., Le Moine, A., Faure, F., Donckier, V., Sancho, D., Cerundolo, V., Bonnet, D. and Reis e Sousa, C. (2010) *Characterization of human DNGR-1<sup>+</sup> BDCA3<sup>+</sup> leukocytes as putative equivalents of mouse CD8 $\alpha$ <sup>+</sup> dendritic cells* J. Exp. Med., **207**, 1261-1271
- Rabanal, N.R.**, Franch, A., Noé, V., Pelegrí, C., Ciudad, C.J., Castellote, C. and Castell, M. (2003) *CD4 expression decrease by antisense oligonucleotides: inhibition of rat CD4<sup>+</sup> cell reactivity* Oligonucleotides, **13** 217-228
- Tay, Q.W.**, Ho, L.C., Low, P.Y. and Kemeny, D.M. (2012) *CD8 T cell-dendritic cell crosstalk up-regulates CD40L expression and IL-12p70 production* Immunology, **137** (Suppl. 1), Abstr. P0874
- Ulges, A.**, Klein, M., Reuter, S., Gerlitzki, B., Hoffmann, M., Grebe, N. Staudt, V. et al (2015) *Protein kinase CK2 enables regulatory T cells to suppress excessive T<sub>H</sub>2 responses in vivo* Nat. Immunol., **16**, 267-275
- Wong, K.L.**, Tang, L.F.M., Lew, F.C.L., Wong H.S.K., Chua, Y.L., MacAry, P.A. and Kemeny, D.M. (2009) *CD44<sup>high</sup> memory CD8 T cells synergize with CpG DNA to activate dendritic cell IL-12p70 production* J. Immunol., **183**, 41–50
- Zhan, X.-X.**, Liu, Y., Yang, J.-F., Wang, G.-Y., Mu, L., Zhang, T.-S., Xie, X.-L., Wang, J.-H., Liu, J.-M., Kong, Q.-F., Li, H.-L. and Sun, B. (2013) *All-trans-retinoic acid ameliorates experimental allergic encephalomyelitis by affecting dendritic cell and monocyte development* Immunology, **138**, 333–345

### 2.16.7.3 Proliferation

- Bailey, S.**, Schreiner, B., McMahon, E.J. and Miller, S. (2007) *CNS myeloid DCs presenting endogenous myelin peptides 'preferentially' polarize CD4<sup>+</sup> T<sub>H</sub>-17 cells in relapsing EAE* Nat. Immunol., **8**, 172-180
- Fan, J.**, Edsen-Moore, M.R., Turner, L.E., Cook, R.T., Legge, K.L., Waldschmidt, T.J. and Schlueter, A.J. (2011) *Mechanisms by which chronic ethanol feeding limits the ability of dendritic cells to stimulate T-cell proliferation* Alcohol Clin. Exp. Res., **35**, 47–59
- Hegazy, A.N.** and Klein, C. (2008) *Ex vivo priming of CD4 T cells converts immunological tolerance into effective antitumor immunity in a murine model of acute lymphoblastic leukemia* Leukemia, **22**, 2070
- Nakayama, M.**, Takeda, K., Kawano, M., Takai, T., Ishii, N. and Ogasawara, K. (2011) *Natural killer (NK)–dendritic cell interactions generate MHC class II-dressed NK cells that regulate CD4<sup>+</sup> T cells* Proc. Natl. Acad. Sci. USA, **108**, 18360–18365
- Yamazaki, T.**, Akiba, H., Koyanagi, A., Azuma, M., Yagita, H. and Okumura, K. (2005) *Blockade of B7-H1 on macrophages suppresses CD4<sup>+</sup> T cell proliferation by augmenting IFN- $\gamma$ -induced nitric oxide production* J. Immunol., **175**, 1586-1592

### 2.16.7.4 Virus responses

- Andrews, D.M.**, Estcourt, M.J., Andoniou, C.E., Wikstrom, M.E., Khong, A., Voigt, V., Fleming, P., Tabarias, H., Hill, G.R., van der Most, R.G., Scalzo, A.A., Smyth, M.J. and Degli-Esposti, M.A. (2010) *Innate immunity defines the capacity of antiviral T cells to limit persistent infection* J. Exp. Med., **207**, 1333-1343
- Cormier, S.A.**, Shrestha, B., Saravia, J., Lee, G.I., Shen, L., DeVincenzo, J.P., Kim, Y.-i. and You, D. (2014) *Limited type I interferons and plasmacytoid dendritic cells during neonatal respiratory syncytial virus infection permit immunopathogenesis upon reinfection* J. Virol., **88**, 9350–9360
- Puttur, F.**, Arnold-Schrauf, C., Lahl, K., Solmaz, G., Lindenberg, M., Mayer, C.T., Gohmert, M., Swallow, M., van Helt, C., Schmitt, H., Nitschke, L., Lambrecht, B.N., Lang, R., Messerle, M. and Sparwasser, T. (2013) *Absence of Siglec-H in MCMV infection elevates interferon alpha production but does not enhance viral clearance* PLoS Pathog., **9**: e1003648
- Ruscanu, S.**, Jouneau, L., Urien, C., Bourge, M., Lecardonnell, J., Moroldo, M., Loup, B., Dalod, M., Elhmouzi-Younes, J., Bevilacqua, C., Hope, J., Vitour, D., Zientara, S., Meyer, G. and Schwartz-Cornila, I. (2013) *Dendritic cell subtypes from lymph nodes and blood show contrasted gene expression programs upon bluetongue virus infection* J. Virol., **87**, 9333–9343

## 2.17 Thymus

### 2.17.1 Apoptosis

Vasilijić, S., Cilić, M. and Vučević, D. (2003) *Granulocyte-macrophage colony stimulating factor is an anti-apoptotic cytokine for thymic dendritic cells and a significant modulator of their accessory function* Immunol. Lett., **86**, 99-112

### 2.17.2 Derivation, development and maturation

Anjuère, F., Martin, P., Ferrero, I., Lopez Fraga, M., Martinez del Hoyo, G., Wright, N. and Ardavin, C. (1999) *Definition of dendritic cell subpopulations present in the spleen, Peyer's patches, lymph nodes, and skin of the mouse* Blood, **93**, 590-598

Ferrero, I., Held, W., Wilson, A., Tacchini-Cottier, F., Radtke, F. and MacDonald, H.R. (2002) *Mouse CD11c<sup>+</sup> B220<sup>+</sup> Gr1<sup>+</sup> plasmacytoid dendritic cells develop independently of the T-cell lineage* Blood, **100**, 2852-2857

Li, J.-C., Park, J.-H., Foss, D. and Goldschneider, I. (2009) *Thymus-homing peripheral dendritic cells constitute two of the three major subsets of dendritic cells in the steady-state thymus* J. Exp. Med., **206**, 607-622

Luche, H., Ardouin, L., Teo, P., See, P., Henri, S., Merad, M., Ginhoux, F. and Malissen, B. (2011) *The earliest intrathymic precursors of CD8 $\alpha$ <sup>+</sup> thymic dendritic cells correspond to myeloid-type double-negative 1c cells* Eur. J. Immunol., **41**, 2165–2175

Radtke, F., Ferrero, I., Wilson, A., Lees, R., Aguet, M. and MacDonald, H.R. (2000) *Notch1 deficiency dissociates the intrathymic development of dendritic cells and T cells* J. Exp. Med., **191**, 1085-1093

Ruedl, C., Koebel, P., Bachmann, M., Hess, M. and Karjalainen, K. (2000) *Anatomical origin of dendritic cells determines their life span in peripheral lymph nodes* J. Immunol., **165**, 4910-4916

Spidale, N.A., Wang, B. and Tisch, R. (2014) *Cutting edge: antigen-specific thymocyte feedback regulates homeostatic thymic conventional dendritic cell maturation* J. Immunol., **193**, 21–25

Waskow, C., Liu, K., Darrasse-Jèze, G., Guermontprez, P., Ginhoux, F., Merad, M., Shengelia, T., Yao, K. and Nussenzweig, M. (2008) *The receptor tyrosine kinase Flt3 is required for dendritic cell development in peripheral lymphoid tissues* Nat. Immunol., **9**, 676-683

### 2.17.3 Homeostasis regulation

Saito, Y., Iwamura, H., Kaneko, T., Ohnishi, H., Murata, Y., Okazawa, H., Kanazawa, Y., Sato-Hashimoto, M., Kobayashi, H., Oldenborg, P.-A., Naito, M., Kaneko, Y., Nojima, Y. and Matozaki, T. (2010) *Regulation by SIRP $\alpha$  of dendritic cell homeostasis in lymphoid tissues* Blood, **116**, 3517-3525

### 2.17.4 Immune responses

Luckashenak, N.A., Ryszkiewicz, R.L., Ramsey, K.D. and Clements, J.L. (2006) *The Src homology 2 domain-containing leukocyte protein of 76-kDa adaptor links integrin ligation with p44/42 MAPK phosphorylation and podosome distribution in murine dendritic cells* J. Immunol., **177**, 5177-5185

Martin, P., Martinez del Hoyo, G., Anjuère, F., Fernandez Arias, C., Hernandez Vargas, H., Fernandez-L, A., Parrillas, V. and Ardavin, C. (2002) *Characterization of a new subpopulation of mouse CD8<sup>+</sup> B220<sup>+</sup> dendritic cells endowed with type I interferon production capacity and tolerogenic potential* Blood, **100**, 383-390

Martinez del Hoyo, G., Lopez-Bravo, M., Metharom, P., Ardavin, C. and Aucouturier, P. (2006) *Prion protein expression by mouse dendritic cells is restricted to the nonplasmacytoid subsets and correlates with the maturation state* J. Immunol., **177**, 6137-6142

Okada, T., Lian, Z.-X., Hsu, T., Naiki, M., Ansari, A.A., Robinson, D., Kung, H.-J., Boyd, R. and Gershwin, E. (2002) *Elevated C-met in thymic dendritic cells of New Zealand black mice* Dev. Immunol., **9**, 29-34

Okada, T., Inaba, M., Naiki, M., Lian, Z.X., Gershwin, M.E. and Ikehara, S. (2007) *Comparative immunobiology of thymic DC mRNA in autoimmune-prone mice* J. Autoimmun., **28**, 41-45

### 2.17.5 MHC class II expression

Brockner, T., Riedinger, M. and Karjalainen, K. (1997) *Targeted expression of major histocompatibility complex (MHC) class II molecules demonstrates that dendritic cells can induce negative but not positive selection of thymocytes in vivo* J. Exp. Med., **185**, 541-550

LeibundGut-Landemann, S., Waldburger, J.-M., Reis e Sousa, C. Acha-Orbea, H. and Reith, W. (2004) *MHC class II expression is differentially regulated in plasmacytoid and conventional dendritic cells* Nat. Immunol., **5**, 899-908

Li, J.-C., Park, J.-H., Foss, D. and Goldschneider, I. (2009) *Thymus-homing peripheral dendritic cells constitute two of the three major subsets of dendritic cells in the steady-state thymus* J. Exp. Med., **206**, 607-622

Waldburger, J.-M., Suter, T., Fontana, A., Acha-Orbea, H. and Reith, W. (2001) *Selective abrogation of major histocompatibility complex class II expression on extrahematopoietic cells in mice lacking promoter IV of the class II transactivator gene* J. Exp. Med., **194**, 393-406

### 2.17.6 T cells

**Dresch, C.**, Ackermann, M., Vogt, B., de Andrade Pereira, B., Shortman, K., and Fraefel, C. (2011) *Thymic but not splenic CD81 DCs can efficiently cross-prime T cells in the absence of licensing factors* Eur. J. Immunol., **41**, 2544–2555

**Schäumann, J.**, Pittoni, P., Tonti, E., MacDonald, H.R., Dellabona, P. and Casorati, G. (2005) *Targeted expression of human CD1d in transgenic mice reveals independent roles for thymocytes and thymic APCs in positive and negative selection of Val14i NKT cells* J. Immunol., **175**, 7303-7310

**Yamaguchi, E.**, Chiba, S., Kumano, K., Kunisato, A., Takahashi, T., Takahashi, T. and Hirai, H. (2002) *Expression of Notch ligands, Jagged1, and Delta1 in antigen presenting cells in mice* Immunol. Lett., **81**, 59-64

### 2.18 Tonsil

**Del Cacho, E.**, Gallego, M., Lopez-Bernard, D.F., Sanchez-Acedo, C. and Lillehoj, H.S. (2008) *Isolation of chicken follicular dendritic cells* J. Immunol. Methods, **334**, 59-69

**Hallissey, C.M.**, Heyderman, R.S. and Williams, N.A. (2014) *Human tonsil-derived dendritic cells are poor inducers of T cell immunity to mucosally encountered pathogens* J. Infect. Dis., **209**, 1847-1856

**Polak, M.E.**, Borthwick, N.J., Gabriel, F.G., Jager, M.J. and Cree, I.A. (2008) *Activation of tonsil dendritic cells with immuno-adjuvants* BMC Immunol., **9**:10

### 2.19 Tumour tissue

**Polak, M.E.** (2011) *Isolation of inflammatory cells from human tumours* In Cancer Cell Culture: Methods and Protocols, 2<sup>nd</sup> Edition (ed. Cree, I.A.) Methods Mol. Biol., **731**, Springer Science+Business Media pp 201-208

### 2.20 Vaginal

**De Bernardis, F.**, Lucciarini, R., Boccanera, M., Amantini, C., Arancia, S., Morrone, S., Mosca, M., Cassone, A. and Santoni, G. (2006) *Phenotypic and functional characterization of vaginal dendritic cells in a rat model of Candida albicans vaginitis* Infect. Immun., **74**, 4282-4294

Mini-Review MC06: 4<sup>th</sup> edition, November 2016

**Alere Technologies AS**

Axis-Shield Density Gradient Media  
is a brand of Alere Technologies AS